


PORTABLE ELECTRIC TOOLS
THOR POWER TOOL COMPANY • AURORA, ILLINOIS
Distributed By



THOR AURORA, ILL. MAIN WORKS

Thor — manufacturer of portable power tools since 1893, and for nearly 40 years the pioneer in new electric tool developments — introduces in this catalog the highest quality ever attained in universal electric tools . . . the Thor "Silver Line."

Released to the field beginning in 1948, the "Silver Line" marks a peak in Thor achievement as the designer and manufacturer of so many "firsts" in electric tools.

Thor "Silver Line" electric tools—drills, screwdrivers, saws, nut setters, grinders, sanders and polishers—are built to the highest quality standards set by tool users in industry, the automotive service field, and the construction market, who demand efficient performance and long service in electric tools so vital to meet their production, service and construction schedules.

Trademark of the new "Silver Line" beyond its top quality construction and performance is the highly polished finish on the die-cast housings of all tools in the line.

In the "Silver Line" and in all models in the Thor universal electric tool line — hammers, valve refacers, valve seat grinders, bench grinders and associated tools — highest quality of materials and craftsmanship is the policy of Thor production, carrying with every model a guarantee of longer service, trouble-free performance and the maximum in power and handling ease.



UNIVERSAL ELECTRIC

TOOLS

EQUIP-MENT

Thor universal electric tools are furnished with three-wire cables and two-prong plugs suitable for plugging into standard recep-

tacles. The third wire in the cable, green in color, is furnished with a connector to permit grounding the tool as a safety precaution.

MOTORS

All portable electric tools shown in this catalog are furnished with universal motors which may be operated either on direct current or alternating current of 60 cycles or less at the voltage specified. Bench grinders and valve refacers are furnished standard for operation only on alternating current. On special order, bench grinders are available with direct current motors; valve refacers with universal motors.

VOLTAGES

Thor motors are furnished standard for operation on 115 volt (110 to 120 volt) current. 220 volt motors can be furnished when spe-

cified. Special voltage motors in tools built for export use are also available for domestic use on special orders.

PARTS INTERCHANGE-ABILITY

All Thor tool parts, including stock repair parts, are precision manufactured for ready interchangeability. Thor has designed its new

Silver Line tools with many parts interchangeable from one tool to another, permitting faster and more economical service for tool users and distributors who stock their own repair parts.




A symbol of power and endurance in Norse mythology, Thor, the God of Thunder, has furnished a fitting trade name for the world's most powerful electric and air tools.

ALPHABETICAL INDEX

AIR TOOL KIT	38
BALANCERS	18
BELT SANDERS	26
BENCH GRINDERS	28
DRILLS	4-12
FENDER HAMMERS	37
GRINDERS	28-29
HAMMER	24-25
IMPACT WRENCHES	14-15
NIBBLER	25
NUT SETTERS	14-21
POLISHERS	30
SANDERS	26-27
SAWS	22-23
SCREWDRIVERS	16-21
TAPPERS	13
VALVE GRINDERS	33-34
VALVE REFACERS	31-32

ACCESSORIES IN ALL SECTIONS



Silver Line

STANDARD DUTY 1/4" DRILL \$4200

Available in seven speeds and a right angle model for all general purpose drilling. Slow speed models provide increased torque for drilling stainless steel, monel and other hard alloys and for driving hole saws up to 11/8". Exceptionally good balance and light weight make the 1/4" Silver Line a perfect one-hand tool, especially for close quarter and overhead work.

	SPECIFICATION	
Code		ED2
Capacity		
Speed		1800 R.P.M.
Weight		3 lbs.
Shipping Weigh	1†	4 lbs.
Overall Length.		77/16"
OP1	TONAL SPEED M	ODELS
R.P.M.	Code	Price
5000	ED5	\$42.00
3700	ED0	42.00
2500	EDI	42.00
S	LOW SPEED MOD	DELS
1100	FD3	\$48.00

ALL MODELS EQUIPPED with 3-jaw chuck and key; pistol grip handle with momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.

ED7

ED4

800

550

1/4" RIGHT ANGLE DRILL





THREE JAW GEARED CHUCK with key, capacity zero to 1/4" HEAVY DUTY BALL BEARINGS throughout, grease-sealed for min-

LARGE VENTILATING FAN AND SLOTS provide cooler handling,

EASILY REMOVED HANDLE for quick access to switch and brushes for inspection and cleaning. OVER CAPACITY SWITCH is neoprene sealed for endless

DYNAMICALLY AND STATICALLY BALANCED MOTOR developes 25% more power than any other standard duty drill in

GEARS are of high grade alloy steel, scientifically heat treated for strength and long wear. BRIDGED SUPPORT for upper armature bearing maintains per-manent alignment for greater ac-

DIE CAST ALUMINUM HOUS-INGS for minimum weight without sacrifice of sturdiness or dur-

curacy and long wear.

ability.

imum maintenance.

longer life of motor.

Standard Chuck

Optional Collet

Right angle head rotates to four positions, up, down, sideways, through 360°. Length of right angle head with standard 3-jaw chuck, 311/16": with optional 1/4" collet, 25/16".

Code	EDIII
Speed	2250 R.P.M.
Weight	37/8 lbs.
Shipping Weight	8 lbs.
Length Overall	10"
PRICE	\$57.00

EQUIPPED with 3-jaw chuck and key; pistol grip handle with momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector. Optional: 1/4" collet instead of chuck.

48.00

48.00





SIDE HANDLE MODEL

All "F" series drills can be equipped with side handle at no extra charge, When ordering, add letter "S" to code number. Rated as a production tool for assembly lines and other heavy duty work, the Thor 1/4" heavy duty "F" series is available in two handle styles and seven speeds, including four slow speeds recommended for drilling in stainless steel and for driving Hole Saws up to 1 1/8". Extra motor power, oversize gearing, ball bearing construction throughout gives these tools the stamina to stand up under hard and heavy usage.

EQUIPPED with 3-jaw chuck and key; momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.

STANDARD SPECIFICATIONS

Code No.	U14F
Capacity	
Speed	
Weight	3 7/8 lbs.
Shipping Weight	5 lbs.
Overall Length	8 ¾"
PRICE	\$45.00

MODELS				ED	
Code	R.P.M.	Price	Code	R.P.M.	Price
U13F U12F	5000 3750	\$45.00 45.00	U17FD U18FD U16FD U22FD	1500 1000 750 500	\$53.50 53.50 53.50 53.50

HEAVY DUTY PLASTIC CASE

- SHOCK PROOF—Completely insulated, like a plastic-handled screw-driver.
- DURABLE—Tempered plastic outer housings are completely supported and reinforced by inner aluminum frame.
- 15% LIGHTER—Heavy duty power, standard duty weight.



STANDARD SPECIFICATIONS

Code	.U14K
Capacity	
Speed	00 R.P.M.
Weight	.3 1/4 lbs.
Shipping Weight	. 5 lbs.
Overall Length	84"
PRICE	545 00

OPTIONAL SPEED MODELS

Code	R.P.M.	Price
U12K	3750	\$45.00
UI3K	5000	45.00

All "K" series drills can be equipped with side handle at no extra charge. When ordering, add letter "S" to code number. A heavy duty tool with same rated production capacity as the "F" series Silver Lines.

EQUIPPED with 3-jaw chuck and key; momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.







1/4" DRILL KIT \$4350

The complete "home workshop" package, featuring the Thor 1/4" Copper Line electric drill, with 3-jaw geared chuck, pistol grip, and trigger switch with locking pin; equipped with 19 assorted accessories for drilling, buffing, polishing, grinding and wire brushing; also equipped with horizontal stand to mount drill for bench and or table operation; entire contents packaged in convenient steel carrying case.

Vertical Drill Stand readily mounts 4CL or 4CLJ 1/4" Copper Line electric drill for use as drill press. See page 11.



Set of 13, 4" to 14", for fast drilling in steel wood.



PRECISION ARBOR

Permits use of grind-ing wheels, buffing wheels, wire brushes.



DRILL STAND Grinding, buffing, wire brushing



CONTENTS OF NO. 4CLJK KIT

(Including list prices of all items that may be purchased to replace original

kit contents)	
No. 4CLJ 1/4" Copper Line	\$22.95
No. 22764 Horizontal 1/4" Drill Stand	3.15
No. 74757 Arbor Adaptor wit 1/4" Shank and 1/2" Spind	th le .60
No. 22765 4" Wire Brush	1.00
No. 22766 3" Grinding Whee 1/2" thick, 1/2" hole	

No. 22767 3" Cotton .50 Buffing Wheel

No. 22768 Stick of Polishing Compound Set of 13 High-Speed Drill Bits, 1/16" to 1/4" (Not Sold Separately) Steel Carrying Case (Not Sold Separately) Net Weight of Kit.....101/4 lbs. Shipping Weight12 lbs. No. 4CLJK Kit, contents as above, list price complete. \$43.50

No. 4CLK Kit, with same contents as above with 1/4" Ther Copper Line Drill equipped with keyless chuck instead of 3-jaw geared chuc', list price complete \$41.00



POLISHING

COMPOUND Brings dullest surface to bright sheen.



3" BUFFING WHEEL For polishing, cleanpolishing, buffing.



4" WIRE BRUSH For cleaning off rust, scale, dirt, grease.



3" GRINDING WHEEL

For sharpening tools, knives, shaping metal.

Precision die-cast aluminum alloy housings assure permanent alignment of moving parts for longer trouble-free service. Hardened alloy steel precision gears, extra large precision ground journals for longer endurance and true running. Selflubricating oilite bearings and spindle thrust ball bearing.

1/4" DRILL SPECIFICATIONS

14 Print Branchistory
Catalog No4CLJ4CL
Chuck
Capacity in Steel
Overall Length7%"81/8"
Net Weight2¾ lbs2¾ lbs.
Shipping Weight4 lbs4 lbs.
Free Speed 2000 R. P. Ma., 2000 R. P. M.
Price

EQUIPMENT — On-off trigger type plunger switch, with locking pin for continuous operation. Rubber-covered 3-conductor cable with 2-prong plug and grounding connector. Equipped for ready mounting in horizontal or vertical drill stand.



Tilver Line

Thors

HEAVY DUTY DRILLS

1/4" DRILL \$55.00

5/16" DRILL \$57.50

Side Handle

These tools are production tools—designed with power to spare for heavy duty use at rated capacity. All ball bearings; heat treated gears assure long, trouble-free service.

EQUIPPED with 3-jaw chuck and key; momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.

Code No.	EJ0	EJI	EJ2
Speed R.P.M.	2000	1500	1000
Handle Weight	Grip 61/2 lbs.	6% lbs.	Grip 7 % lb
Chii Mar-1-ka	Olf The	WILL III	D 11.

Weight 6½ lbs. 6½ lbs. 7¾ Shipping Weight 8¼ lbs. 8½ lbs. 9 lb Overall Length 12½ 12½ 12½ 12½ 12½ 12½ 12½ 12½ 12½ PRICE \$55.00 \$57.50 \$64

Code	R.P.M.	Handle	Price
	1000	Grip	\$60.50
EJ6	1500	Side	57.50

ADDITIONAL 3/8" MODELS 750 Grip S64.51 1000 Side 64.51



COPPER ine

1/2" DRILL

Low in price . . . built by Thor to quality specifications for long service in the home workshop and for other standard duty intermittent service. Drills holes up to 1/2" in steel, 1" in wood, drives hole saws, wire brushes, grinding wheels, etc. Can be used in drill stand as drill press. Die-cast aluminum housings, self-


lubricated bearings. Equipped with 3-jaw chuck and key; seven feet of 3-conductor cable with 2-prong plug and ground connector.

Code	C8
Capacity	
Speed	420 R.P.M.
Weight	9 1/2 lbs.
Shipping Weight	12 ½ lbs.
Length	141/2"
PRICE	\$42.00

^{*}Specify "Code EJ2 with A" chuck."







LARGE CAPACITY DRILLS



These tools are ruggedly built for heavy duty service in truck, bus and railroad shops, ship yards and other large equipment manufacturing and maintenance plants. Heavy section aluminum housings, alloy steel gears, reserve-power motors, all ball bearing construction.



BLY \$10.00 extra on all EL and UF drills.

FEED SCREW ASSEM-

EXTRA HEAVY DUTY

EQUIPPED with 3-jaw chuck and key; side switch handle with locking pin, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 1 or No. 2 Morse Taper Socket in place of chuck. EXTRA: No. 80450 Feed Screw assembly complete. \$10.00

*Available at 750 R.P.M., \$5.00 extra. (Specify Code EL4)

UFD-5/8"

UFH-3/4"

UFS-7/8"

UFZ-1"

HEAVY DUTY

CodeEL9
Capacity%"
Speed
Weight
Shipping Weight
Length Overall141/4"
Spindle Offset
PRICE \$85.00
EQUIPPED with 3-jaw chuck and key; side switch handle with
locking pin, spade handle and removable dead handle; seven
feet of 3-conductor cable with 2-prong plug and ground con-

nector. Optional: No. 2 Morse Taper socket in place of chuck. EXTRA: No. 80450 Feed Screw assembly complete, \$10.00 extra.

EXTRA HEAVY DUTY

Code	UFD
Capacity	56"
Speed	430 R.P.M.
Weight	24 % Ibs.
Shipping Weight	39 lbs.
Length Overall	17"
Spindle Offset	21/4"
PRICE	\$105.00
FOURDED W. S	

EQUIPPED with 3-jaw chuck and key; safety switch handle, speade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 2 Morse Taper socket in place of chuck. EXTRA: No. 81873 Feed Screw assembly complete, \$10.00 extra.

STANDARD DUTY

.....EL7 Code. Capacity...... ¾

EQUIPPED with 3-jaw chuck and key; side switch handle with locking pin, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 2 or No. 3 Morse Taper socket in place of chuck. EXTRA: No. 80450 Feed Screw assembly, \$10.00 extra.

EXTRA HEAVY DUTY

Code	UFH
Capacity	34 **
Speed	
Weight	25 34 lbs.
Shipping Weight	39 lbs.
Length Overall	7%"
Spindle Offset	21/6"
PRICE	\$115.00

EQUIPPED with 3-jaw chuck and key; safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 2 or No. 3 Morse Taper socket in place of chuck. Extra: No. 81873 Feed Screw assembly complete, \$10.00 extra.

HEAVY DUTY

CodeUF	5
Drilling Capacity%	
Reaming Capacity	
Speed	R.P.M.
Weight	1/4 lbs.
Shipping Weight	
Length Overall	7/8"
Spindle Offset	
PRICE\$12	20.00
ECHIPPED with No. 2 Internal Morre Tanger safety switch	handle

EQUIPPED with No. 3 internal Morse Taper; safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. EXTRA: No. 81873 Feed Screw assembly complete, \$10.00 extra.

HEAVY DUTY

Code		
Reaming Capacity		
Speed		
Weight		
Shipping Weight		
Length		
Spindle Offset		
PRICE		

EQUIPPED with No. 3 internal Morse Taper; safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. EXTRA: No. 81873 Feed Screw assembly complete, \$10.00 extra.

Thors

1-1/4" DRILLS



Tremendous power for drilling in steel up to 11/4" holes; for heavy duty reaming, non-reversible studsetting, for use with earth-boring augers, etc.; 21/2 h.p. motor runs at 350 R.P.M. on U3Z, is geared down to 78 R.P.M. for high torque, slow speed heavy duty applications on U3S.

Code	U3Z	U3S
Drilling Capacity	1 1/4"	H.D.
Reaming Capacity	15/16"	H.D.
Speed R.P.M.	350	78
Weight	49 1/2 lbs.	93 lbs.
Shipping Weight	71 lbs.	115 lbs.
Length Overall	19 1/8"	27 1/4"
Spindle Offset	2 ¾"	4 1/8"
	\$200.00	\$250.00

EQUIPPED with No. 3 Internal Morse Taper Socket, safety switch handle, dead handle, feed screw, 7 feet of 3-conductor cable with ground connector. Optional: 11/4" square hole chuck, spade handle instead of feed screw. Extra-charge equipment: No. 3 Internal Morse Taper Use-Em-Up Socket.

COAL DRILLS

Abundant power for blast hole drilling in coal. Heavy duty motor and gearing, ball bearing construction, reinforced aluminum housings make this a sturdy tool for long service under rugged conditions. Safety switch shuts off current instantly upon release.

Code	UFS-C	UFZ-C
Speed	350 R.P.M.	300 R.P.M.
Weight	251/4 lbs.	26 1/4 lbs.
Shipping Weight	39 lbs.	40 lbs.
Length Overall	187/8"	191/8"
PRICE	\$130.00	\$142.00

EQUIPMENT includes flat taper coal-auger chuck, safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector.

MOTOR TYPES: Tools are furnished standard with AC/DC Universal Motor, 115 or 220 volts as specified. Can be furnished for constant 250 volt D.C. operation, complete as specified above, \$7.50 extra.





DRILL STANDS:

Convert Portable Electric Drills to stationary use as Drill Press, for added leverage and accuracy.

No. 8 Drill Stand, Bench Type

For small drills up to 1/2" capacity. Available in three drill clamp models for (1) pistol grip drills; (2) end-grip type drills; or (3) side handle drills. WHEN ORDERING SPECIFY CODE NUMBER OF DRILL WITH WHICH STAND WILL BE USED.

	Drill Clamp Style		
	(1)	(2)	(3)
Vertical Movement	3"	3"	3"
Vertical Adjustment	111/2"	12"	12 1/2"
Bench Space	. 85/16"x 13"	85/16"x 13"	85/16"x 13"
Weight, Pounds	29	30	32
Shipping Wt., Lbs.	47	47	47
PRICE	\$28.50	\$28.50	\$28.50

No. 26 Drill Stand, Bench Type

For large drills, 1/2" to 1" capacity. When ordering, specify code number of drill with which stand will be used.

Vertical Movement	5"
Vertical Adjustment	14"
Bench Space	15" x 9"
Weight, Pounds	50
Shipping Weight, Lbs.	. 60
PRICE	\$44.00

No. 30 Drill Stand, Post Type

For large drills only, 1/2" to 1" capacity. Can be fastened to post or wall with lag screws or expansion bolts, requires no bench space. When ordering, specify code number of drill with which stand will be used.

Vertical Movement	5"
Vertical Adjustment	14"
Distance, Wall to Center of Drill	141/2"
Weight, Pounds	68
Shipping Weight, Lbs.	80
PRICE	\$49.50

COPPER LINE Drill Stands

Low priced drill stands available in two sizes for 1/4" Copper Line Drill and 1/2" Copper Line Drill.

4CLJ	C8
4CLDS	C8DS
3"	5"
. 1134"	14"
. 123/4" x 81/2"	12 1/4" x 8 1/16"
113/4	32
25	44
\$12.95	\$19.95
	4CLDS 3" 11¾" 12¾" x 8½" 11¾ 25



ACCESSORIES

CHUCKS



Chuck Size	Thread Size	Chuck No.	Price	Key No.	Price
3/16"	3/8" x 24	68252	\$ 5.50	25017	\$0.40
3/16"*	3/8" x 24	66929	5.50	25017	0.40
1/4"	3/a" x 24	25011	5.50	25017	0.40
1/4"*	3/8" x 24	20033	5.50	20034	0.40
5/16"	3/8" x 24	25076	6.00	25081	0.40
5/14"	1/2" x 20	76655	6.00	25081	0.40
3/8"	3/2" x 24	70646	6.50	73902	0.40
3/9"	1/2" x 20	25082	6.50	20039	0.50
3/2"	5/a" x 16	20073	6.50	20039	0.50
1/2"	1/2" x 20	75724	7.50	20039	0.50
1/2"	5/2" x 16	25245	7.50	20039	0.50
1/2"*	5/8" x 16	25252	8.00	20100	0.50
5/8"	5/2" x 16	25207	9.50	20100	0.50
3/4"	5/8" x 16	70488	12.00	70489	0.95
3/4"	3/4" x 16	76340	12.00	70489	0.95

*Heavy Duty

MORSE TAPERS

MORSE TAPER SHANK ADAPTORS



External M.T.	Male Thread	No.	Price
No. 2	5/8" x 16	70529	\$4.35
No. 3	%" x 16	70803	7.25

MORSE TAPER SOCKETS



Internal M.T.	Female Thread	No.	Price
No. I	3/ ₈ " x 24	70805	\$3.35
No. I	1/2" x 20	67031	3.70
No. I	5/8" x 16	59335	3.35
No. 2	1/2" x 20	69996	4.75
No. 2	5/2" x 16	59441	3.35
No. 2	₹4" x 16	76765	6.00
No. 3	5/2" x 16	75822	3.35
No. 3	3/4" x 16	76766	6.00

MORSE TAPER SLEEVES



External M.T.	Internal M.T.	No.	Price
No. 2	No. I	21798	\$.85
No. 3	No. 2	22471	1.10



ELECTRIC DRILL

ACCESSORIES

HOLE SAWS





HOLE SAW ARBORS are furnished with ¼" or ½" shank. See chart. ¼" Pilot Drill to fit any arbor listed, order No. 21086. Price, \$0.95

	HOLE	SAWS		ARE	BORS	
Diameter	Catalog		1/2" Shank		1/4" Shank	
	Number	Price	Arbor No.	Price	Arbor No.	Price
3/,"	20935	\$1.20	20957	\$1.85	21085	\$1.20
3/4" 1/8"	20936	1.20	20957	1.85	21085	1.20
78	20937	1.20	20957	1.85	21085	1.20
11/2"	20938	1.32	20957	1.85	21085	1,20
11/."	20939	1.32	20957	1.85	21085	1.20
134"	20940	1.32	20957	1.85	21085	1.20
11/8" 11/4" 13/8" 11/2" 15/8"	20941	1.32	20957	1.85	21085	1.20
156"	20942	1.52	20958	1.85	(100000)	
134"	20943	1.52	20958	1.85		
17/8"	20944	1.52	20958	1.85		12.00
2"	20945	1.52	20958	1.85		
21/2"	20946	2.00	20958	1.85		200
21/8"	20947	2.00	20958	1.85		
2 1/8"	20948	2.00	20958	1.85		1.740
21/2"	20949	2.00	20958	1.85		
21/2" 25/8"	20950	2.00	20958	1.85		
23/4"	20951	2.00	20958	1.85		
21/8"	20952	2.00	20958	1.85		
3"	20953	2.00	20958	1.85		
31/8"	20954	2.00	20958	1.85		
31/4"	20955	2.00	20958	1.85		
31/4"	20956	2.00	20958	1.85		

SANDING AND POLISHING ATTACHMENTS



COMPLETE SANDING ATTACHMENT FOR 1/4" DRILLS Includes arbor, rubber backing pad, and one each coarse, medium and fine sanding discs.

4" diameter, No. 22383, price, \$1.45

5" diameter, No. 22384, price, \$1.70

COMPLETE POLISHING ATTACHMENT FOR 1/4" DRILLS Includes arbor, rubber backing pad, felt cushion pad and draw string polishing bonnet.

4" diameter, No. 22385, price, \$2.50 5" diameter, No. 22386, price, \$3.15

ADAPTOR ONLY FOR 1/2" DRILLS-1/2" diameter arbor with %" x 11 Male Thread and No. 59572 Nut. Complete assembly, No. 21919, price \$2.50. No. 59572 Nut, price \$0.70.



POLISHING BONNETS

4".	No.	21117	\$1.00
		21776	1.25

FELT CUSHION PAD

4".	No.	21777	\$0.75
			0.90

SANDING DISCS

1/2" ARBOR HOLE

	4" Dia	4" Diameter		5" Diameter	
Grade	Number	Price	Number	Price	
24 36 60 120 -180	20991 20992 20993 20994 20995	\$0.26 .25 .22 .21	20984 20985 20986 20987 20988	\$0.27 .21 .24 .22	

Ope	en Grain	tor Wo	od Sanding	1
	0996	.26	20989 20990	.27

WIRE BRUSHES



For Carbon Cleaning Brushes, see page 36, where listings are also carried on Valve Guide Cleaners, brush and reamer type.

MANDRELS



Your distributor can furnish 1/4" and 1/4" shank mandrels for use with small grinding wheels and polishing wheels, sanding discs, etc.

MOUNTED ABRASIVES



Thor mounted abrasive wheels and points in various shapes and sizes are available through your distributor. Ask for special catalog sheet.

ROTARY FILES



Thor Rotary Files mounted on 1/4" shanks are available through your distributor. Ask for special catalog sheet.

HOLE SPOTTER



For drills with 1%" plain spindle hub. Specify drill bushing size required. Catalog No. 71259, price \$11.90.

ALL ANGLE ATTACHMENT





For drills with 1½" x 20 or 1¼" x 20 LH USS threaded hub. Permits drilling any angle through 360°. Catalog No. 75538, price \$53.45.

TAPPERS WITH MECHANICAL REVERSE



Special purpose machines designed with correct power and speed to produce perfect threads. Heavy-duty ball-bearing construction for long-lasting dependability.








TAPPING CHUCKS

For Tapper No.	UKS	UKS	UBR
Capacity	0 to 1/4"	#10 to 5/16"	# 10 to 1/2"
Number	75282	75838	75839
PRICE	\$9.50	\$10.50	\$12.00

Chucks come equipped with necessary wrenches.







Apply and Remove Nuts

- Thor impact mechanism hits harder — fewer moving parts, minimum lifting action applies fullest motor power to actual striking operation.
- Full ball seat contact on cam assures longer life.

Silver Line

IMPACT

Thor Electric Impact Wrenches take every job in stride. They deliver two hard rotary wallops for every spindle revolution when the going is toughthey run as free as an electric drill in lighter applications. Unique Thor impact principle banishes torque reaction. Motor runs continuouslyeven when spindle is stopped-cannot stall or burn out when used on oversize bolts.

EW6 EQUIPMENT includes 1/2" square drive spindle, reversing ring, pistol grip handle with momentary trigger switch and lock, 12 feet of 3-conductor cable with 2-prong plug and grounding connector.

3/8" IMPACT WRENCH KITS



EW6KC KIT With Carrying Case (as illustrated)

I EW6 %" Impact Wrench I Steel Carrying Case 6 Hexagon Sockets: 7,", 1/2",	å". %".
Shipping Weight	18 lbs.
Price EW&KC	.\$135.45
Steel Carrying Case Only No. 22252	\$12.00

EWOK KII
1 EW6 %" Impact Wrench 1 No. 76387 Collet Chuck and Wrenches 1 No. 21797 No. 2 M.T. Socket 1 No. 21798 M.T. Reducer Sleeve 5 Hexagon Sockets: 72", 1/2", 72", %".
1 No. 78142 Metal Accessory Box I No. 22805 Drift Pin Shipping Wt. II lbs. Price, EW6K \$139.25



3/8" ACCESSORIES

1/2" SQUARE DRIVE HEXAGON SOCKETS



COLLET TYPE CHUCK

No. 76387, square drive, capacity ½" to ½" round shanks and No. 10 to ½" square end taps and reamers. Price, \$12.55

No. 22476, ½" COLLET for No. 76387 Chuck, capacity ½" to ½" round shanks and No. 10 to ½" square end taps and reamers. Price, \$3.30

MORSE TAPERS

No. 2 M.T. SOCKET, 1/2" square drive, No. 21797, price, \$2.20. No. 2 External to No. 1 Internal M.T. REDUCER SLEEVE, No. 21798, price, \$0.85.

SCREWDRIVING CHUCK



No. 73466, 1/2" square drive Quick Change Chuck for 15" hexagon shank screwdriver bits. Price, \$8.40.

SEE PAGE 19 FOR 7/16" SCREWDRIVER BITS AND FINDERS.

	Standard Single B	Length, roached	Deep Length, Single Broached	
Nut Size	Number	Price	Number	Price
3/8"	20374	\$0.75	20388	\$1.25
7/16"	20375	.75	20389	1.25
15/32"	20376	.75	20390	1.25
1/2"	20377	.75	20391	1.25
17/32"	20378	.75		
9/16"	20379	.75	20393	1.25
19/32"	20380	.75	20394	1.25
5/8"	20381	.75	20395	1.2
11/16"	20382	.75	20396	1.2
3/4"	20383	.75	20397	1.3
13/16"	20384	.85	20398	1.3
7/8"	20385	.90	20399	1.4
15/16"	20386	1.00	20400	1.6
1"	20387	1.00	20401	1.6









Drive and Remove Screws

Drill in Steel, Wood and Mosonry

Top. Drive Hole Saws, etc

- Impact jaws, widely separated, strike HARDER blows, two for each spindle revolution.
- Jaws rotate to present new striking surface for each blow.
- Large ball bearing and pin bearing construction throughout.
- Strong protecting bridge and cap behind reversing ring.
- Rugged construction, overlapping joints and through-bolts be-

tween casings for long-lasting

- Heavy section aluminum alloy die castings throughout.
- Balanced for one-hand operation.

WRENCHES REVERSIBLE



Same type rugged impact mechanism as famous Thor "Packy" (EW6) Electric Impact Wrench, with extra heavy duty motor, detachable dead handle for added convenience.

EWIO EQUIPMENT includes %" square drive spindle, reversing ring, pistol grip handle with momentary trigger switch and lock, detachable dead handle, 12 feet of 3-conductor cable with 2-prong plug and ground connector.



5/8" IMPACT WRENCH KITS



EWIOKC KIT With carrying case

(as illustrated)
I EWIO %" Impact Wrench
I Steel Carrying Case
4 Hexagon Sockets: 12", 76", 1", 1/6"
Shipping Weight
Price, EWIOKC
Sfeel Carrying Case Only No. 80852\$14.00
140, 60052

EWIOK KIT
I EWIO 1/2" Impact Wrench
No. 22473 Collet Type Chuck with extra 1/2" Collet
I No. 22470 No. 3 M. T. Socket
1 No. 22471 M.T. Reducer Sleeve
4 Hexagon Sockets: 11", 1/4", 1", 11/8"
I No. 22472 Drift Pin
No. 22187 Socket Wrench Adaptor, %" recess to 1/2" drive
No. 22188 Socket Wrench Adaptor, %" recess to %" drive
No. 22537 Metal Accessory Box
Shipping Weight
Price, EWIOK \$208.40

%" SQUARE DRIVE HEXAGON SOCKETS

	Standard Single Bro	Length, packed	Deep Length, Single Broached		
Nut Size	Number	Price	Number	Price	
9/16"	20211	\$0.90	20230	\$1.60	
5/8"	20212	.90	20231	1.60	
21/32"	20213	.90			
11/16"	20214	.95	20233	1.60	
23/32"	20215	.95			
3/4"	20216	.95	20235	1.60	
25/32"	20217	.95			
13/16"	20218	.95	20237	1.60	
7/8"	20219	1.05	20238	1.65	
29/32"	20220	1.10			
15/16"	20221	1.10	20240	1.75	
31/32"	20222	1.10			
1"	20223	1.15	20242	1.75	
11/16"	20224	1.25	20243	1.75	
11/8"	20225	1.35			
13/16"	20226	1.50	20245	1.85	
11/4"	20227	1.65	20246	2.2!	
15/16"	20228	1.65	20247	2.25	
13/8"	20229	1.95	20248	2.2	

5/8" ACCESSORIES

COLLET TYPE CHUCK

No. 22473, %" square drive, capacity %" to ½" round shanks and %" to %" square end taps and reamers. Price \$13.20

No. 22476, ½" collet for No. 22473 Chuck, capacity %" to %" round shanks and #10 to ½" square end taps and reamers. Price \$3.30

No. 22610, $\frac{5}{2}$ " collet for No. 22473 Chuck, capacity $\frac{1}{12}$ " to $\frac{5}{2}$ " round shanks and $\frac{1}{12}$ " to $\frac{1}{2}$ " square end taps and reamers. Price \$3.30

MORSE TAPERS

No. 3 M.T. SOCKET, %" square drive, No. 22470, price \$2.40.

No. 3 External to No. 2 Internal M.T. REDUCER SLEEVE, No. 22471, price, \$1.10.

SOCKET WRENCH ADAPTORS

%"	Recess	to	1/2"	Drive,	No.	22187	\$1.65
%"	Recess	to	14"	Drive,	No.	22188	1.65

SCREWDRIVING CHUCK

No. 73490 (For &" Hexagon Shanks) Price, \$8.95.



SCREWDRIVERS



The UL-series Screwdrivers and Nut Setters, averaging 4 lbs. in weight, drive screws up to No. 8 and set nuts up to 3/16" thread. Designed for use with suspension balancers described on page 18.



Bonnet Switch



Code Number	Type Clutch	Attach. No.	Attach. Angle	Type Switch	R.P.M.	Price
ULTW	Dbl. Slip	461B	Straight	Lever	1000	\$77.00
ULPW	Dbl. Slip	461B	Straight	Lever	550	77.00
ULNW	Dbl. Slip	461B	Straight	Lever	1500	77.00
ULT	Dbl. Slip	461B	Straight	Bonnet	1000	71.50
ULP	Dbl. Slip	461B	Straight	Bonnet	550	71.50
ULN	Dbl. Slip	461B	Straight	Bonnet	1500	71.50

25° DOUBLE SLIP CLUTCH ATTACHMENT can be furnished with any of the above sizes, \$16.50 extra. (Attachment No. 482.) When ordering, specify ULP-482, etc.

ULP-481	Dbl. Slip	481	Rt. Angle	Bonnet	440	\$108.00
ULT-481	Dbl. Slip	481	Rt. Angle	Bonnet	800	108.00
ULN-481	Dbl. Slip	481	Rt. Angle	Bonnet	1200	108.00

EQUIPMENT: Above tools can be equipped either as screwdrivers or nut setters with optional selection of either one finder and one ¼" he:agon shank screwdriver bit; or one standard length socket wrench shank, ¼", 9/32" or ½" square drive and one standard socket. Models below are equipped as nut setter only with ¼", 9/32" or ½" square drive and one standard sociat. All sizes equipped with seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, \$7.50 extra.

ULT-492 Dbl. Slip 492 Rt. Angle Bo	onnet 440 \$100.00 onnet 800 100.00 onnet 1200 100.00
------------------------------------	---

No. 8 Lever Type (ULPW, ULTW, ULNW) 4/4 [bs.

 Weight
 41/4 lbs.

 Shipping
 7 lbs.

 Length
 133/4"

No. 8 Bonnet Type (ULP, ULT, ULN) 3¾ lbs. 7 lbs. 12¾"



No. 481 Rt. Angle Screwdriver Attachment (ULP-481, ULT-481, ULN-481)



No. 492 Rt. Angle Nut Setter Attachment (ULP-492, ULT-492, ULN-492)





Code Number	Type Clutch	Attach. No.	Attach. Angle	Type Switch	R.P.M.	Wt. Lbs.	Length	Price
ED17	Positive	515	Straight	Pistol	800	3 3 3	91/2"	\$61.00
ED16	Positive	515	Straight	Pistol	1100		91/2"	61.00
ED18	Positive	515	Straight	Pistol	500		91/2"	61.00
ED12	Dbl. Slip	445	Straight	Pistol	800	3 3	91/2"	75.00
ED11	Dbl. Slip	445	Straight	Pistol	1100		91/2"	75.00
ED13	Dbl. Slip	445	Straight	Pistol	500		91/2"	75.00
ED47	Dbl. Slip	509	25°	Pistol	800	31/2	111/4"	97.00
ED46	Dbl. Slip	509	25°	Pistol	1100	31/2		97.00
ED48	Dbl. Slip	509	25°	Pistol	500	31/2		97.00
ED41 ED42	Dbl. Slip Dbl. Slip	447 447	Rt. Angle Rt. Angle	Pistol Pistol	880 660	41/8 41/8	101/8"	120.00
ED51 ED52	Kickout Kickout	511 511	Rt. Angle Rt. Angle	Pistol Pistol	880 660	3¾ 3¾	103/4"	110.00

EQUIPMENT—EDSI and EDS2 are nut setters only, with 1/4", 9/32" or 3/4" square drive and one standard socket. All other tools in ED-series can be equipped either as screwdrivers or nut setters with optional selection of either one finder and one 1/4" hexagon shank screw-

driver bits; or one standard length socket wrench shank, 1/4", 9/32" or %" square drive, and one standard socket. All sizes equipped with seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, \$7.50 extra.



No. 509—25° Angle Attachment (ED46, ED47, ED48)



No. 447 Rt. Angle Screwdriver Attachment (ED41 and ED42)



No. 511 Rt. Angle Nut Setter Attachment (ED51 and ED52)

and NUTSETTERS





The F-series Screwdrivers and Nut Setters, averaging 45% lbs. in weight, drive screws up to No. 14 and set nuts up to 5/16" thread.



Code	Type	Attach.	Attach.	Type		
Number	Clutch	No.	Angle	Switch	R.P.M.	Price
U22F	Dbl. Slip	466B	Straight	Pistol	500	\$ 85.00
U22F-P	Positive	490	Straight	Pistol	500	72.50
U22F-25	Dbl. Slip	487	25°	Pistol	500	107.50
U16F-P	Dbl. Slip	466 B	Straight	Pistol	750	85.00
U16F-P	Positive	490	Straight	Pistol	750	72.50
U16F-25	Dbl. Slip	487	25°	Pistol	750	107.50
U18F U18F-P U18F-25	Dbl. Slip Positive Dbl. Slip	466 B 490 487	Straight Straight 25°	Pistol Pistol Pistol	1000 1000	85.00 72.50 107.50
UISFF UISFL UISFL-25	Dbl. Slip Dbl. Slip Dbl. Slip	466B 466B 487	Straight Straight 25°	Foot Lever Lever	1000 1000	115.00* 85.00 107.50
U19F	Dbl. Slip	489A	Rt. Angle	Pistol	600	135.00
**U15F	Dbl. Slip	489A	Rt. Angle	Pistol	400	135.00
**U19F	Dbl. Slip	489A	Rt. Angle	Pistol	800	135.00
U19FN	Kickout	169R	Rt. Angle	Pistol	375	125.00
**U19FN	Kickout	169R	Rt. Angle	Pistol	250	125.00
**U19FN	Kickout	169R	Rt. Angle	Pistol	500	125.00

^{**}Optional speed-when ordering, specify speed.

EQUIPMENT—UIPFN furnished as nut setter only, with ½" or ½" square drive and one standard socket. All other tools in F-series can be equipped either as screwdrivers or nut setters with optional selection of either one finder ane one ¼" hexagon shank screwdriver bit; or one standard length socket wrench shank, ¾" or ½" square drive, and one standard socket. All sizes equipped with seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, \$7.50 extra.



No. 437—25° Angle Attachment

(U16F-25, U18F-25, U22F-25, U18FL-25)



No. 489A Rt. Angle Attachment SCREWDRIVER (U19F)



(Also supplied with 25° angle attachment.)

*UISFF suspension type, less lever switch handle, for use with foot switch below providing forward and reverse operation.



No. 169R Rt. Angle Attachment NUTSETTER (U19FN)





*No. 76158 FOOT SWITCH (For use with UI8FF Driver)











EJ—Grip Switch Handle


Code Number	Capacity Screw	Nut	Type Clutch	Attach. No.	Type Handle	Speed R.P.M.	Weight Lbs.	Shipping Weight	Length	Price
EJ18	No. 18	36"	Positive	448	Side	500	81/4	91/4	12 %"	\$ 90.00
EJ23	No. 18	16"	Kickout	449	Grip	500	8	9	151/2"	110.00
EJ12	No. 18	An	Positive	448	Grip	750	734	8 3/4	131/4"	85.00
EJ22	No. 18	A"	Kickout	449	Grip	750	8	9	151/2"	108.00
EJ27	No. 18	4"	Kickout	449	Side	750	8 %	9 %	14 7/8"	108.00

ALL SIZES EQUIPPED with one standard $\frac{1}{4\pi}$ " hexagon socket wrench shank with $\frac{1}{2}$ " square drive and one standard socket or one $\frac{1}{4\pi}$ " hexagon shank screwdriver bit and finder assembly. (Both positive and kickout attachments use standard $\frac{1}{4\pi}$ " socket wrench shanks and bits); EJIS and EJZ? equipped with side handle with momentary trigger switch and locking pin, spade

handle and dead handle; EJ23, EJ12 and EJ22 equipped with grip handle with momentary trigger switch and locking pin; seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, all sizes, \$10.00 extra.



SCREWDRIVERS nd NUT SETTERS





Code Number	EL23	EL28	EL24	EL29
Capacity:				
Screw	No. 24*	No. 24*	No. 24*	No. 24*
Nut (thread size)	1/2"	1/2"	1/2"	1/2"
Weight, Lbs.	15	143/4	15	143/4
Shipping Weight, Lbs	18	173/4	18	173/4
Length	151/4"	143/4"	151/4"	143/4"
Type Attachment	Kickout	Positive	Kickout	Positive
Attachment	455	454	455	454
Speed R.P.M.	525	525	350	350
PRICE	\$160.00	\$143.00	\$160.00	\$143.00

*And up to %" Lag Screws.

ALL SIZES EQUIPPED with one No. 20519 7's" hexagon socket wrench shank with 1/2" square drive, or one standard size 7's" hexagon shank screw-driver bit and finder assembly, as specified. (Both positive and kickout attachments use standard

Tr" socket wrench shanks and bits); side handle with momentary trigger switch and locking pin, spade handle, dead handle, seven feet of 3-connector. Reversing switch, all sizes, \$10.00 extra.

BALANCERS FOR TOOL SUSPENSION

Thor Safety Balancers offer the safest and most convenient method of suspending screwdrivers and other tools over the work within easy reach for frequent or rapid use, particularly on assembly line operations. A slight pull brings the tool down . . . upon release it rises out of the way. Thor Balancers are available in the sizes listed below. Larger capacities, prices on applica-

SIZE	0X	108	IOBX	20B	308
Capacity, Ibs. Maximum Minimum	10~	10	20 10	20 10	30 20
Range of Travel	1	5	5	6	6
Distance Hook to Hook Standard* Minimum**	19"	35" 16"	35'' 16''	54'' 171/2''	54" 171/2"
Weight, Ibs	131/2	1634	1634	44	44
PRICE	\$30.00	\$65.00	\$70.00	\$70.00	\$73.00

*As shipped with standard length cable. **Obtainable by shortening cable.

SCREWDRIVER AND NUT SETTER

CLUTCH ATTACHMENTS



POSITIVE CLUTCH ATTACHMENT

A positive clutch attachment is equipped with two clutch jaws that are manually engaged by pressure applied by the operator. When pressure is released the clutch disengages, stopping the rotary motion of the bit. At the instant of tightening screw or nut the operator and the tool absorb the slight impact. Positive clutch attachments have a limited range of work because the jaw faces have a set angle. The jaws are disengaged when pressure is released. Thus, the tightening of the screw or nut depends entirely upon the judgment of the operator.



DOUBLE SLIP CLUTCH ATTACHMENT

The double slip clutch attachment has two separate clutches, one a positive, manually-engaged type which in turn drives an adjustable, spring tension slip clutch. This attachment with its adjustable feature can be set to drive any size screw in the capacity range of the attachment to a predetermined, uniform tightness. Once set, it eliminates all guess-work and guarantees tension of every nut or screw driven with 100% uniformity... automatically "slipping" when the desired tension is reached. In addition, this type of clutch cushions the impact, relieving the operator of fatiguing jolts and reducing spoilage by eliminating breaking of studs and stripping of threads. It also adds considerably to the life of the machine and clutch jaws by absorbing stress and shock loads.



KICK-OUT CLUTCH ATTACHMENT

This attachment is similar in action to the double slip clutch. It operates on virtually the same principle, except that the clutch does not "slip" when the desired tension is reached, but auto-matically "kicks out," and a set of cams holds the spring tension clutch open for a full revolution of disengagement. This type is used on larger capacity machines and, like the slip clutch, it drives each screw or nut to exactly the same predetermined tension, is adjustable for driving to different tensions, and absorbs the shocks. The cam prolongs the life of the clutch jaws and lowers maintenance cost of the tool.

ACCESSORIES





Finder



Shank Bit



7/16" Hex. Shank Bit and Finder Assembly

Standard 1/4" Hex. Shank Bit

For use with all Ther Current No.

Items below are uniformly priced as per figures at left

Items below are individually priced as per figures following each catalog number

5HANK 14 S.D. and N.S.	PRICE EACH	2F, 2R	3F, 3R	4F, 4R	5F, 5R, 6R	6F, 7R	7F, 8R	8F, 10R	PRICE EACH	10F, 12R	PRICE EACH	12F, 14R	PRICE EACH	14F, 16R	PRICE EACH
Standard Length Bit	\$0.69*	75280	75274	73194	73195	73196	22421	73197	\$0.69*	73198	\$0.69*	73199	\$0.85**	75356	\$0.85**
Standard Length Finder (Specify Screw Size)	2.00	25054	25054	25054	25054	25054	25054	25054	2.00	25054	2.00	25054	2.00	25054	2.00
17/8" Extension Bit	.90	77414	77415	77416	77417	77417		77418	0.90	77419	0.90	77420	0.90		
Non-Rotating Extension Finder for 1 1/8" Extension Bit	3.30	75122	75123	75124	75125	75125		75127	3.30	75128	3.30	75129	3,30		
4" Extension Bit	1.00			75086	75096	75100		75104	1.00	75108	1.00	75112	1.00		
" Ext. Bit and Finder Assembly	1.75			75087	75097	75101		75105	1.75	75109	1.75	75113	1.75		
" Extension Bit	1.10			75088	75098	75102	-17	75106	1.10	75110	1.10	75114	1.10		
" Ext. Bit and Finder Assembly	1.85			75095	75099	75103		75107	1.85	75111	1.85	75115	1.85		
211/16" Extension Bit	0.85			75240	75241	75242		75243	0.80	75244	1.00	75245	1.05		
21/16" Ext. Bit and Finder Assembly for use with Ext. Shank below				75246	75247	75248		75249	1.60	75250	1.75	75251	1.80		

*QUANTITY PRICES—Std. Length ¼1" Bit: Lot of 50 to 99, \$0.48; 100 to 499, \$0.43; over 500 (except No. 73198), \$0.34. Box of 5 (all sizes), \$2.70. **QUANTITY PRICES—Std. Length 1/4" Bit: Lot of 50 to 99, \$0.75; over 100, \$0.69. Box of 5, \$4.00.

	1/4" PHILLIPS BITS								
	No. 1 or No. 2	No. 3							
Standard Length	70771 \$0.57†	75075 \$0.75							
1 1/8" Extension	75277	75278 1.10							

All Sizes 22090 \$0.50

REED AND PRINCE BITS

†100 to 499, \$0.47; over 500, \$0.32.

6F, 6R,

PRICE

" 16 SHANK

For use with all No. 16 and larger screwdrivers

Items below are uniformly priced as per figures

	ch catalog		tonowing
20F	PRICE	24F	PRICE

Items below are individually

EACH EACH EACH 8R 98 12R 12R TAR 188 \$0.97* \$1.20* 72907 \$1.45* \$0.97* 72944 72945 72946 72947 72960 72961 72962 72963 2.40** Standard Bit and Finder Assembly. 1.55** 72053 72964 72965 72966 1.95** 72967 72956 2.80**

*QUANTITY PRICES—Std. Length 7:"
Bit: Lot of 50 to 99 (except 72963, 72907), 50.63; 100 to 499 (except 72962, 72963, 72907), \$0.57; over 500 (except 72962, 72963, 72907), \$0.46. Box of 5 (except 72963, 72907), \$0.46. No. 72963, over 50, \$1.10; Box of 5, \$5.75. No. 72907, Box of 5, \$7.00.

**QUANTITY PRICES—Std. Length 75" Bit and Finder Assembly (except 72966, 72967, 72967): Lot of 50 to 99, \$1.45; over 100, \$1.25; Box of 5, \$7.50. No. 72966, over 50, \$1.80; Box of 5, \$9.25. No. 72967, Box of 5, \$11.75. No. 72956, Box of 5, \$13.75.

72751	12152	72703	12154
7/16	" PHI	LLIPS	BITS

8F, 9F, 10F, 10R,

	Cat.	No.	57551	#2	Point	\$0.86‡						
	Cat.	No.	57552	#3	Point	0.86#						
	Cat	No.	57553	#4	Point	0.86#						

‡ Quantity price, 100 to 499, each \$0.51, Over 500, each \$0.48.

7/16" REED AND PRINCE BITS

All	Sizes	
No. 75281		\$0.75

PRICE

18F

16F


EXTENSION SHANKS



LENGTH—All figures indicating length of bits or extensions do not refer to overall length, but to projection beyond attachment or chuck.

with Chuck Assembly for holding socket wrench shanks or bits

Type Shank	Extension Length	Cat. No.	Price	Type Shank	Extension Length	Cat. No.	Price
/4" Hex.	4"	75252	\$2.00	7/14" Hex.	4"	75254	\$1.80
/4" Hex.	6"	75253	2.00	7/16" Hex. 7/16" Hex.	6"	75255	2.00



PIX-UP FINDERS AND ADJUSTO-TRAY

A combination that speeds assembly operations three to nine times. Adjusto-Tray holds screws "heads up"—PIX-UP FINDER is then placed over the screw-head, and as the tray depresses slightly, the finder grips the screw head firmly and in perfect alignment, ready for the driving operation.

ADJUSTO TRAYS

Cat. No.	For Screw No.	Price
69408	3 and 4	\$6.00
69409	5 and 6	6.00
69410	8 and 10	6.00
71103	12 and 14	7.20

PIX-UP FINDERS AND BITS

For Use with Adjusto-Tray

Screw Size	Pix-Up Bits	Price	Pix-Up Assemble	
3R -	77415	.90	69414	\$5.40
3F	77415	.90	69418	5.40
4R	77416	.90	69422	5.40
4F	77416	.90	69426	5.40
6R	77417	.90	69430	5.40
6F	77417	.90	70040	5.40
8R	77418	.90	69435	5.40
8F	77418	.90	70044	5.40
IOR	77419	.90	69440	5.40
10F	77419	.90	73042	5.40
12R	77420	.90	69445	5.40
14R	80885	.90	69450	5.40

Any Pix-Up Finder for screws not listed, price on application.

WHEN ORDERING SCREWDRIVER BITS AND OTHER ACCESSORIES, SPECIFY EXACT SIZE AND TYPE OF SCREW OR SEND A SAMPLE SCREW.



SOCKET WRENCHES





									-							
DISTAN	CE ACROSS FLATS	3/16"	7/32"	1/4"	9/32"	5/16"	11/32"	3/8"	7/16"	1/2"	17/32"	9/16"	19/32"	5/8"	21/32"	11/16
				ST	TAND	ARD	1/4"	SQU	ARE	DRIVE						
HEX.	Standard Length Single Broached	20543 \$0.40	20544 \$0.40	20545* \$0.40	20547 \$0.40	20548 \$0.40	20549 \$0.40	20550 \$0.40	20551 \$0.40	20552 \$0.45						
HEX.	Deep Length Single Broached	20561 50.80	20562 \$0.80	20563 \$0.80	20564 \$0.80	20565 \$0.80	20566 \$0.80	20567 \$0.80	20568 \$0.80							
HEX.	Thin Wall Single Broached	20553 \$0.40	20554 \$0.40	20555 \$0.40	20556 \$0.40	20557 \$0.40	20558 \$0.40	20559 \$0.40	20560 \$0.40							
SQ.	Standard Length Double Broached	20569		20570 \$0.45	20571† \$0.45	20572 \$0.45		20573 \$0.45							17.	
	nside Hex. Taper, No.	20546, \$	0.50	tSingle	Broached	1		421						444		
				MA	GNE	TIZE	0 1/4	-	UARE	-	E	-				
EX.	Standard Length Single Broached	21087 \$1.40	21088 \$1.40	21089 \$1.40	21090 \$1.40	21091 \$1.40	21092 51.40	20193 \$1.45	21094 \$1.45	21095 \$1.45						
					9	/32"	SQU	The second second	DRIVE							
EX.	Parker Kalon Single Broached			20584 \$0.40	20585 \$0.40			20588 \$0.40	20589 \$0.40	20590 \$0.45						
	14				3	3/8"	SQUA						20100	20601		20602
IEX.	Standard Length Single Broached					20593 \$0.45	20594 \$0.45	20595 \$0.45	20596 \$0.45	20597 \$0.45	20598 \$0.55	20599 \$0.55	20600 \$0.50	\$0.55		\$0.60
EX.	Parker Kalon Single Broached							20604‡ \$0.75	20605 \$0.50	20606 \$0.50						
EX.	Standard Length Double Broached							20607 \$0.45	20608 \$0.45	20609 \$0.45		20611 \$0.45		20612 \$0.55		20613 50.60
EX.	Thin Wall Double Broached			M				20615 \$0.55	20616 \$0.55	20617 \$0.55		20618 \$0.55		20619 \$0.60		2062 \$0.6
EX.	Deep Sockets Single Broached						20622 \$0.60	20623 \$0.65	20624 \$0.65	20625 \$0.65		20626 \$0.65		20627 \$0.70		2062 50.8
EX.	Deep Sockets Double Broached								20638 \$0.65	20639 \$0.65		20640 \$0.65		20641 \$3.70		
EX.	Thin Wall Deep Single Broached							20630 \$0.60	20631 \$0.65	20632 \$0.65	Tay 1	20633 \$0.75		20635 \$0.80		2063 \$0.8
EX.	Thin Wall Deep Double Broached											20643 \$0.75		20644 50.80		2064
Q.	Standard Length			20651 \$0.50	20652 \$0.55	20653 \$0.55		20654 \$0.55	20655 \$0.55	20656 \$0.55						
Q.	Double Broached Thin Wall Deep	De la		\$0.50	30.55	30.55		20657 \$0.75	20658 \$0.75	20659 \$0.80						
	Double Broached Hex. Taper							\$0.75	30.73	30.00						
					1	1/2"	SQU/	RE I	RIVE					EUL	N.	-)
IEX.	Standard Length Single Broached		-					20660 \$0,55	20661 \$0.55	20662 \$0.55		20663 \$0.55	\$0.60	20665 \$0.60	20666 \$0.70	20667 \$0.60
HEX.	Parker Kalon Single Broached							20680 \$0.75	20681 \$0.75	20682 \$0.85		20683 \$0.90				
EX.	Thin Wall Deep Single Broached								20684 \$0.65	20685 \$0.65		20686 \$0.65	20687 \$0.65	20688 \$0.65	20689 \$0.65	20690 \$0.70
IEX.	Standard Length Double Broached							20699 \$0.55	20700 \$0.55	20701 \$0.55		20702 \$0.55	20703 \$0.60	20704 50.60		20705
IEX.	Thin Wall Double Broached		1						20714	20715 \$0.65	1, 17	20716 \$0.65	20717 \$0.65	20718 \$0.65	20719 \$0.65	20720 \$0.70
IEX.	Deep Length Single Broached	7						20733 \$1.25	20734 \$1.25	20735 \$1.25		20736 \$1.25		20737 \$1.25		20738 \$1.25
HEX.	Thin Wall Deep									20745 \$1.20		20746 \$1.20		20747 \$1.20		20748
SQ.	Standard Length		-			TH.		20756 \$0.70	20757 \$0.70	20758		20759 50.75		20760 50.80		20761
- Car	Double Broached	The Co	1	2" 5	QUAL	E DI	RIVE		ERSAI	-	CKET					-
HEX.	Standard Length	7	•/	_ 3	ZOAI				20870 \$2.50	20871 \$2.50		20872 \$2,50		20873 \$2.60		20874 \$2.65
HEX.	Single Broached Thin Wall								20881 \$2.15	20882 \$2.15		20883 52.15		20884 52.20		20885
ILA:	Double Broached		2	'g" c	OHAI	E DI	RIVE	UNIV	ERSAL	-	CKET					_
HEY	Standard Length	A SEC	3/	0 3	YUMI	L DI	NIVE.	20858 \$1.95	20859 \$1.95	20860 \$1.95		20861 \$2,15		20862 52.25		
HEX.	Single Broached Thin Wall				5 11 1			20863	28864	20865		20866 \$2.15		20867 52.15		20868
HEX.	Double Broached			-				\$2.05	\$2.05	\$2.05		32.13		22.17		

AND ACCESSORIES

Single Broached Square





Double Broached Square

ADDITIONAL SOCKETS

Sockets listed on these pages are the full range available up to 1/2" square drive for all Thor nut setters listed in this catalog. Thor also makes available power type sockets up to 1" square drive and impact sockets for Thor 3/8" and 5/8" impact wrenches.

SOCKET ADAPTORS

Socket adaptors provide a ready means of changing the square drive of your machine to a larger or smaller drive as desired.

Female End	Male End	Numb	PACT T		POWER Number	TYPE Price	Female End	Male End		MPACT 1	Price	POWE! Number	R TYPE Price
3/6 · · · · · · · · · · · · · · · · · · ·	9/32	2219- 2218-		\$0.85 1.35	20907 20908 20909 20910	\$0.45 .45 .65 .70	1/2" 1/2" 5/2"	\$\frac{1}{2}\frac{1}{2	221 221 221 221	86 87	\$1.45 1.55 1.70 1.70	20911 20912	\$1.05
3/4"	25/32"	13/16"	7/8"	29/32	15/16"	31/32"	1"	11/32"	11/16"	13/32"	11/8"	13/16"	11/4"
-			:	3/8" 5	QUAI	RE DR	IVE (Cont	inued)	N. I		
20603 \$0.65													
20614 \$0.65			1										
20621 \$0.60		16	Hen.	11.4	United								
20629 \$0.90		- 40			and the	let .							
20642 \$0.85													
20637 \$0.90													
20646		20647 \$1.00	20648		20649 \$1.15		20650 \$1.20						

\leftarrow			1/	2" 50	QUAR	LE DR	IAE (Continued)		721
20668 \$0.60	20669 \$0.70	20670 \$0.70	20671 50.75	20672 \$0.85	20673 \$0.90	20674 50.90	20675 \$1.00	20676 \$1,10	20678 \$1.10	20679 \$1.25	
20691	20692 \$0.75	20693 S0.75	20694 \$0.75	20695 50.90	20696 \$0.95		20697 \$1.00	20698 \$1.10			
20706	20707 \$0.70	20708 S0.70	20709 \$0.75		20710 50.90		20711 \$1.00	20712 \$1.10	20713 \$1.10	. 127	
20721	20722 \$0.75	20723 \$0.75	20724 \$0.75	20725 50.90	20726 \$0.95	20727 51.00	20728 \$1.00	20729 \$1.10	20730 \$1.15	20731 \$1.20	20732 \$1.30
20739 \$1.30		20740 \$1.35	20741 \$1.45		20742 \$1,60		20743 \$1.60	-1111	20744 \$1.80		
20749 \$1.20		20750 \$1.30	20751 \$1.35		20752 \$1.45		20753 \$1.50	20754 \$1.60	20755 \$1.65		
20762 \$1.00	日泊	20763 \$1.10	20764 51.20		20765 51.30		20766 \$1.40				

-	1/2	" SQ	UARE	DRIVE	UNI	VERSAL	SOCKETS	(Cont
20875 \$3.45	20876 \$3.75	20877 \$3.75	20878 \$3.95		879 .25	20880 \$5.45		
20886 \$2,25								




3/8" SQUARE DRIVE UNIVERSAL SOCKETS (Continued)

20869 \$2.35



SHANKS



1/4" HEXAGON SHANK

2			
Square Drive	Length	Number	Price
1/4"	21/8"	73923*	\$1.60
9/32"	21/8"	73924*	1.60
36"	21/8"	73925*	1.60

*With 18" Diam. Guide Shoulder

7/16" HEXAGON SHANK

36"	120	20513	\$1.05
36"	234"	20514	1,00
34"	5"	20515	1.10
34"	8"	20516	1.25
34"	12"	20517	1.45
₩"	18"	20518	2.05
1/2"	143"	20519	1.65
1/2"	234**	20520	1.20
1/2"	5**	20521	1.40
1/2"	8"	20522	1.60
1/2"	12"	20523	1.75
1/2"	18"	20524	2.35
1/2"	20"	20525	3.50
1/2"	22"	20526	3.50

SOCKET

1/4" SQUARE DRIVE

Length	Number	Price
2"	20889	\$0.65
4"	20890	.85
6"	20891	1.00

3/8" SQUARE DRIVE

3"	20892	\$1.10
6"	20893	1.35
12"	20894	1.65

1/2" SQUARE DRIVE

2"	20895	\$0.95
5"	20896	1.30
10"	20897	1.65
20"	20898	1.95

UNIVERSAL TOINTS




Square Drive	Length	Number	Price	
36"	17/4"	20887	\$2,50	
1/2"	2-25/64"	20888	2.65	



Code	T6*	T7	TB	T10	T12
Blade Size	61/4"	71/4"	81/4"	10"	12"
Max. Depth of Cut 45° Depth of Cut	13/8" 131/2	17/8"	25/32"	3 5/8" 2 5/8"	47/16" 31/4"
Weight, Lbs Shipping Wt., Lbs	131/2	171/ ₄	18 37	35 60	361/2
Speed R.P.M.	5000	4200	4200	2750	2750
Price	\$65.00*	\$125.00	\$145.00	\$190.00	\$225.00

*Furnished standard without carrying case.
(Price with steel carrying case [Code 16C], \$69.95. Shipping weight, 30 lbs.)
All Silver Line Saws are equipped with one combination blade, 10-feet of 3-conductor cable with 2-prong plug and ground connector, blade nut wrench, lubricant and steel carrying case. (16 is furnished standard without carrying case, see note above.)



LONG SHAFT MO-TOR MOUNTINGfull ball bearing support where it's

needed most.

DIRECT GEAR DRIVE - no powerwasting worm gears!

> SAFETY LOCK SWITCH-Saw cannot be started accidentally.

PROTECTED DEPTH AND BEVEL SCALES-always accurate.

FINGER TIP ADJUSTMENT-set depth, bevel or rip guides instantly. They lock securely.

CONVENIENT HANDLES. Natural saw-grip behind the center of gravity.

ACCESSIBLE BRUSH HOLDERS, easy to inspect and service.

AMPLE VENTILATION above and below commutator housing.

WIDE SAFETY BASE-the only basis for REAL balance in a portable saw.

UNIQUE RIP GUIDE can be firmly set for any width of material.

SAW DUST BLOWER integral with ventilating system. Cutting line always

REINFORCED ALUMINUM HOUS-INGS. Safe from accidental damage.

POWERFUL MOTOR designed to stand up under full-load cutting day in and day out.

AUTOMATIC TELESCOPING BLADE GUARD for complete protection.

EASY BLADE CHANGE-five second operation; just remove hex, cap screw.

POSITIVE 90° STOP-when released, saw automatically squares itself at 90° after bevel cutting-no guesswork.

OVERSIZE SWITCHES-fully insulated positive protection against electrical failure.

Silver Line "6"



Depth of Cut, 2 1/32"
Price, \$65.00*
*Without carrying case.
(Price with steel carrying case, \$69.95.)

Silver Line "7"



Depth of Cut, 21/2" Price, \$125.00

Silver Line "8"




Depth of Cut, 2 15/16" Price, \$145.00

Silver Line "10"



Depth of Cut. 3 %" Price, \$190.00

Silver Line "12"



Depth of Cut, 47/16" Price, \$225.00

SAW BLADES and ABRASIVE DISCS





		6"	7"	8"	10"	12"
COMBINATION BLADE For rippin	g and cross-cutting	61/4" 73863 \$2.25	71/4" 73875 \$2.50	81/4" 73881 \$2.65	10" 73894 \$3.65	12" 73899 \$4.85
CUT-OFF BLADE For o	For cross cut work		71/4" 73876 \$2,50	8½" 73883 \$2.65	10" 73895 \$3.65	73900 \$4.85
MITRE BLADE Hollow grou	and, smooth cutting	61/4" 73867 \$3,25	71/4" 73877 \$4.50	8" 73885 \$4.45	10" 73896 \$7.95	
METAL CUTTING BLADE For no	5%" 73874 \$6.05		8" 73888 \$6.55			
RIP BLADE For r				73898 \$3.65	12' 73901 \$4.85	
ICE SCORING BLADE Special design		61/4" 75344 \$2.25	7 ¹ / ₄ " 75345 \$2.50	81/4" 75346 \$2.65		
FLOORING BLADE Cuts				8" 73886 \$2.65	10" 73897 \$3.65	
FINE TOOTH BLADE For so	ft wall board	61/4" 73869 \$2.25	7" 73879 \$2.50	8" 73887 \$2.65		
FRICTION BLADE For light	gauge Iron sheets	61/4" 73871 \$4.85		8" 73884 \$6.05		
	or abrasive	6" 22315 \$16.45	7" 22313 \$17.50	8" 22314 \$19.50	site and of	poard, fran- her asbestos irds, and all rood.
DIAMOND EDGE	STANDARD DUTY	6"x.032" 22485 \$9.50	7"x.040" 22488 \$12.20	8"x.040" 22491 \$13.60	10"x.040" 22494 \$17.80	12"x.050" 22497 \$26.10
For fast cutting of tile, glass, brick, concrete, etc. Unbreak- able. For use only with Thor	HEAVY	6"x.040" 22486* \$10.80	7"x.050" 22489* \$16.40	8"x.050" 22492* \$17.80	10"x,050" 22495 \$21.10	12"x.064" 22498 \$30.00
water feed attachment. *Blades recommended for general use.	EXTRA HEAVY DUTY	6"x.050" 22487 \$13.60	7"x.064" 22490 \$20.30	8"x.064" 22493 \$21.10	10"x.064" 22496* \$26.10	12"x.075" 22499* \$42.40

ABRASIVE DISCS

Application:		Alloy	Concrete	Marble	Cast	Tile	Asbestos Cement	Granite	Crab Orchard	
Disc Size	Price	Steels	Concrete	thur Mis	Iron		Sheats		Stone	
61/4"x1/8" 61/4"x3/16"	\$1.55	73938	73939 73944	73940 73945	73941	73942	73943			
71/8"x1/8"	1.90	73946	73947 73952	73948	73949	73950	73951	Granite and Crab Orchard Stone can be cut only by suc- cessive scoring. Use marble cutting discs.		
7 ¹ / ₈ "x ³ / ₁₆ " 8"x ¹ / ₈ " 8"x ¹ / ₄ "	2.20	73953	73954 73959	73955	73956	73957	73958			
915/16"xl/8" 1115/14"xl/8"	3.10	73966 73972	73967 73973	73968 73974	73969 73975	73970 73976	73971 . 73977			

QUANTITY PRICES—Applying on single order for one type or an assortment: Up to 11—List Price; 12 to 24—10%; 25 to 99—20%; 100 and over—30%.

WATER FEED ATTACHMENT

For use with Thor Diamond Edge Blades, also may be used with Thor Abrasive Discs. Fastens easily to swivel base of saw. Equipped with perforated fork tube that shoots water against both sides of blade, and 12 feet of hose with standard coupling for water faucet or water extension hose.

No. 79534	(Fits	T6,	T7,	T8)	 59	.50
No. 80876	(Fits	T10,	T12	1	 9	.50

SAW LUBRICANTS



Number		Qua	ntity	Price
70065	2	oz.	tube	\$0.40
73798	8	oz.	tube	.60
21382	2	16.	can	1.20
75975	8	lb.	can	4.50



U-100 ELECTRIC

HAMMER

Sling Shot Drive

Shock-proof rubber yoke drives the piston in powerful hammer action. It whips the piston with sling-shot action . . . acting as a power accumulator to increase the speed of the piston on the forward stroke . . . then as a shock absorber on the recoil. There's no metal connection between the piston and the gear train and motor. And thus no shock to gear, motor, or operator. Here's enormous power, easy to handle!




IN STONE - The Thor-Nado hammer is designed for fast, economical drilling, channoling, demolition, in stone, concrete, asphalt. brick and composition materials, and for cleaning out mortar, web cutting, removing



IN WOOD-Cutting, googing, and shaping in wood can be done efficiently with the U-100 and proper Thor wood chisely.



IN METAL-Chipping, scaling, removing rust, paint, weld spatter, and similar accommula-tions . . . more jobs where the U-100 saves hard labor, time and costs



\$13000

Code No.	U-100
Capacity in concrete	11/8" Star Dril
Blows per minute	1600
Weight	
Shipping Weight	
Length Overall	131/2"

Type Nozzle-Standard: to take .497" round by 1.75" long shank Optional: to take .432" hexagon by 1.75" long shank Extra (\$9.00): Rawl-Chuck PRICE \$130.00 EQUIPMENT: I No. 61076 Taper Shank Holder; I Ejector Pin; I extra Sling-shot Yoke; I Dust Shield; Metal Carrying Case; momentary grip switch with lock; seven feet of 3-conductor cable with 2-prong plug and ground connector.



Shank Offset



No. 61076 Holder for Taper Shank Tools (Holder fits in standard round Noz-zie) \$5.40



No. 68104 Turn-ing Wrench for straight shank tools \$0.90




No. 69359 Dust Shield \$0.40



No. 6808 "Sling-Shot" \$0.75 Yoke

U-100 HAMMER ACCESSORIES



		CARBIDE	TIPPED, ST	AR DRILLS		
Point Diameter	Overall Length 4'	Price Each	Cata Overall Length 6"	log Numb Price Each	er and Pric Overall Length 12"	Price Each
A	22806 22807 22808	\$8.85 9.35 9.55	22809 22810 22811 22813 22815 22817 22817 22821 22823 22823 22825 22827	\$ 9.80 10.20 10.75 11.85 12.95 13.85 14.85 15.85 16.70 19.25 23.65	22812 22814 22816 22818 22820 22822 22824 22826 22928	\$12.95 13.95 15.70 16.50 17.45 18.55 21.30 24.75 30.25


	STANDARD	CHISELS	
Description	Length	Number	Price
Sales or her tests or	5"	71263	\$1.55
Chisel-Str. Shank	9"	71264	2.00
	12"	71265	2.20
Clt-1	5"	71266	1.65
Chisel	9"	71267	2.00
Hex. Shank	12"	71268	2.20
0.10.0.1.4	5"	71269	1.70
	9"	71270	2.00
Straight Shank	12"	71271	2.20
Bull Point Straight Shank	9"	71270	

SPECIAL CHISELS

STRAIGHT SHANK TOOLS

Description Morter Chisel	Number 68103	Price \$2.95
Bush Hammer (Head 11/2" Sq.)		6.10
Scaling Chisel (2" Blade)	58411	3.20
Scaling Chisel (11/2" Blade)		3.05
HEXAGON SHANK TO	OLS	
Web Cutting Tool	68408	4.25
Flat Wood Chisel (21/8" Blade)	68409	4.25
Wood Gouge		4.25

Web Cutting Tool	68408
Flat Wood Chisel (21/8" Blade)	68409
Wood Gouge	68410





Silver Line

Will do any work within its rated capacity that can be done with a portable power shear and in addition will cut regular and irregular shapes, follow line or contour accurately, cut plain or corrugated stock and cut tubes as small as 11/2" in diameter.

SPECIFICATIONS

Code Number No. 20 Gauge in Mild Sheet Steel Capacity:.... No. 16 Gauge in Soft Sheet Aluminum Minimum Cutting Radius.... Length Overall 21/2" Diameter of Body 3 3/4 lbs. Weight Shipping Weight .. EQUIPMENT includes I extra cutting punch; adjusting wrench, wrench for clamp screw; seven feet of 3-conductor rubber cable and 2-prong plug with ground connector.




Silver Line
BELT SANDER

EXCLUSIVE direct gear drive minimizes friction losses, delivers as much as 20% extra power to the belt.

Without Vacuum Dust Collector.

\$15000

With Vacuum Dust Collector.



Superior Ventilating System

Quick-acting Belt Release

Accurate Belt-centering Device

ASK FOR CIRCULAR JE-1131

41/2" BELT SANDER

Belt Size.......41/2" wide x 26" long Belt Speed _____1800 ft. per min. Size63/4" x 141/2" x 91/4" high \$150.00

41/2" BELT SANDER

With Vacuum Dust Collector T45V Belt Size ______41/2" x 26" long Belt Speed 1800 ft. per min. Size _____63/4" x 141/2" x 91/4" high Weight ______ 22 lbs., 6 oz. \$178.00

26

PRICE

世926

EQUIPPED with grip handle with momentary trigger switch; one medium grade beit; 10 feet of 3-conductor cable with 2-prong plug and ground connector. CODE T45V equipped with vacuum dust collector complete.

PRICE

\$5.94

SANDERS

	FOR WOO	D		FOR META	L		FOR STONE	E
Grade	Cat. No.	Price	Grade	Cat. No.	Price	Grade	Cat. No.	Price
2	21192	\$0.63	24	21201	\$0.67	24	21214	\$0.67
3	21193	.60	30	21202	.65	30	21215	.65
21/2	21194	.58	36	21203	.64	36	21216	.64
2	21195	.56	40	21204	.60	40	21217	.60
11/2	21196	.54	50	21205	.58	50	21218	.58
1		.53	60	21206	.57	60	21219	.55
1/2	21197	.51	80	21207	.55	80	21220	.54
1/0	21198	.50	100	21208	.54	100	21221	.54
2/0	21199	.50	120	21209	.54	120	21222	.54
3/0	21200	.50	150	21210	.54	150	21223	.54
			180	21211	.54	180	21224	.54
			240	21212	.54	220	21225	.54
			320	21213	.54	320	21226	.54
			FOR RE	MOVING V	ARNISH	1		
3	21227	\$0.67	2	21229	\$0.64	1.	21231	\$0.58
21/2	21228	.65	11/2	21230	.60	1/2	21232	.57
		FA	ABRIC B	ELT FOR P	OLISHII	NG	- 500	
_	Conda			Cat. No.			Price	

21233

SPECIAL RECOMMENDATIONS

MARBLE — Use type "C", Grade No. 40 for leveling off rough surfaces, shaping, fit-ting; No. 60 for removing scratches left by No. 40; Nos. 150, 220 and 320 for honing.

CAST STONE-Use type "C", Nos. 24 and 40 for grinding and leveling off surfaces; No. 60 for smoothing; No. 150 for

NATURAL STONE-(including Indiana limestone). Use type "C", Nos. 24 and 40 for grinding, cutting bevels, leveling off surfaces; No. 60 for removing scratches, smoothing down.

SLATE-Use type "C", Nos. 24, 60 or 150 to desired finish.

Tilver Line

DISC SANDERS





- 50% More Power delivered to the disc at the right speed for cleaner, faster work.
- Equipped with rubber "bumper" tool rest to protect motor and housings.
- Spindle Lock for easy disc change.



HEAVY

with 4"

*Can be equipped with 6" Cup Wheel. Specify EN72, price \$95.00 (see page 29).



THOR DISC TRIMMER



Cuts larger discs (up to 9") down to smaller sizes (to 4" minimum). Salvages used discs for service with smaller pads. Cat. No. 74368.

Price \$13.65

All ball bearing construction with special features designed to give long, dependable service—spiral tooth gears; switch lock for continuous or intermittent operation.

EQUIPPED with %" threaded spindle with lock; momentary trigger switch and lock; removable side handle for use on either side; rubber tool guard; flexible rubber pad, box of three assorted sanding discs; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: Suspension hook in place of rubber guard on EN82 and EN87, if specified.

II specifical	7"	7"	9"
	Standard Duty	Heavy Duty	Heavy Duty
Code No.	EL82 4500	EN82 4500	EN87 4500
Speed R.P.M	81/2 lbs.	141/4 lbs.	141/4 lbs.
Shipping Wt.	13 lbs. 13 1/2"	21 lbs.	21 lbs. 17"
PRICE	\$73.00	\$82.00	\$85.00

SANDING DISCS

1/8" Hole Standard. Also available with 1/2" hole or 5/8" hole at no extra charge.

Closed Grain for Metal or Wood Sanding

	7" Diameter		9" Diameter		3 8	7" Diameter		9" Diameter	
Grade	Number	Price	Number	Price	Grade	Number	Price	Number	Price
*16 24 30 36 50 60	72775 72776 72777 72778 72779 72780	\$0.46 .36 .36 .36 .33	72797 72798 72799 72800 72801 72802	\$0.62 .48 .48 .48 .44 .44	80 100 120 150 180	72781 72782 72783 72784 72785	\$0.30 .30 .30 .30 .30	72803 72804 72805 72806 72807	\$0.40 .40 .40 .40

Open Grain for Wood Sanding

	7" Diameter		9" Diameter		8 10	7" Diam	eter	9" Dia	
Grade	Number	Price	Number	Price	Grade	Number	Price	Number	Price
*16	72786 72787	\$0.46	72808 72809	\$0.62		72788 72789	50.36	72810 72811	\$0.48 .48

*No. 16 Discs are packed 10 to a box. All other discs packed 25 to a box.


BACKING PADS

7"	Rubber	Backing	Pad.	Catalog	No.	74139.	Price	\$	3.50
9"	Rubber	Backing	Pad.	Catalog	No.	74140.	Price	***************************************	5.50
7"	KOOLS	ACK Pa	d. Pri	ce					5.00
Fle	ible (No	. 21261); 1	Mediu	m (No. 21	262);	Rigid (1	No. 21263)		
9"	KOOLB	ACK Pa	d. Pri	ce					7.00
Fle	xible (No	. 21264);	Mediu	m (No. 21	265);	Rigid (1	No. 21266)		

BALL BEARING



BENCH GRINDERS





6" Standard Duty

6" Heavy Heavy Duty Heavy Duty Standard Duty Heavy Duty Duty BIO BBS B634 B65 B7S Code No. 6"x¾" 1/3 H.P. 1/2" 10"x1" 8"x1" 6"x1/2 7"x1" Wheel Size. 1/4 H.P. 1/2 H.P. 5/8" 1/2 H.P. I H.P. Motor Rating 3/4" 1750 Spindle Thread 3450 3450 R.P.M. (60 cycle) R.P.M. (50 cycle) 3450 3450 2850 1425 2850 2850 2850 137 71 69 Weight, Lbs... 35 581/2 Shipping Wt., Lbs.. Length Overall..... 83 153 45 69 81 19" 24" 20" 20" 14" 151/4" 1134" 121/4" 111/4" Height Overall 9" Width Overall. 131/2"x95/8" 71/2"x71/2" 109/16"x65%" 109/16"x65/8 10"x65/8" Bench Space (Base) \$96.00 \$150.00 \$88.00 \$63.00 \$42.00

115 or 220 volts, 50 or 60 cycles, as specified.

ADDITIONAL MOTOR TYPES



Standard Type
EYE SHIELD

Shatterproof Glass Cat. No. 64482 Per Pair, \$3.75



Illuminated Type EYE SHIELD

Shatterproof Glass Cat. No. 74367 Price Each, \$9.00

Grinder Size	Three Phase A.C., 50 or 60 cycles, 220 volts	25 Cycle A.C., single phase, 115 or 220 volts, as specified
6" Heavy Duty 7" Heavy Duty 8" Heavy Duty 10" Heavy Duty	\$ 80.00 95.00 110.00 150.00	\$ 75.00 100.00 110.00
EQUIPMENT, All Grind	ders equipped with two wheel	guards, two adjustable too

rests, two grinding wheels (one coarse, one fine), toggle switch, 10 feet 3-conductor cable with 2-prong plug and ground connector.

MEDIUM GRADE GRINDING WHEELS, VITRIFIED

Wheel Size	Cat. No.	Price	Wheel Size	Cat. No.	Price
6"x1/2"x1/2" hole 6"x3/4"x1/2" hole	72307 72316	\$1.70	8"x1" x¾" hole 10"x1" x¾" hole	72372 72404	\$4.65 6.55
7"+1" +5/4" hole	72354	2.50			

STANDARD DUTY WIRE BRUSHES, ARBOR TYPE


		Wire	Gauge		
Brush Size		30	33		Price
6"x1"x1/2" hole		73062	73068		\$2.30
7"x1"x5/8" hole		73063	73069		2.50
8"x11/8"x5/8" hole		73064	73070	4	3.00
10"x11/2"x3/4" hole		73065	73071		4.80
	CLOTH	BUFFING	WHEELS		Price Each,
Wheel Size	(Cat. No.	Price Each		Pkg. of 5
6"x1/2"x1/2" hole 6"x1/2"x5/8" hole		64419	\$1.00		\$0.90
6"x1/2"x7/8" hole		64420	1.00		.90



BENCH GRINDER PEDESTAL


For 6", 7" and 8" Bench Grinders Code BGS

Height	311/4"
Base	14"x14"
	56 1/2 lbs.
Shipping Wt.	62 lbs.
cup; 2 each nuts and washe	detachable water attachment boits, ors. Base has boit d attachment to



PORTABLE GRINDERS





Completely ball bearing machines with helical gearing, momentary switch with locking pin for continuous operation and other modern features of design for long, dependable operation.

	4"	5"	6"	CUP	R. A.
Code	EL60	EL62	EN62*	EN72**	EN71
Wheel Size	4"x3/4"	5"x¾"	6"x1"	6" Fl. Cup	7''
Spindle Thread	1/2"x13	1/2"x13	5/8"x11	5/8"x11	5/8"x11
Speed R.P.M.	6,000	4,500	4,000	4,500	5,500
Weight, Ibs	10	101/4	151/4	141/4	141/4
Shipping Wt., Ibs	15	15	23	22	22
Length Overall	183/4"	183/4"	23¾"	17"	17"
PRICE	\$77.50	\$90.00	\$112.00	\$95.00	\$95.00

EQUIPPED with general purpose grinding wheel and wheel guard; rubber tool guard EQUIPPED with general purpose grinding wheel and wheel guard; rubber fool guard with EL60, EL62 and EN72, suspension hook with EN62; EN72 equipped with detachable side handle; momentary trigger switch and lock; seven feet of 3-conductor cable with 2-prong plug and ground connector. EN71 equipped with 7' Guard, Backing plate, Spacing washer, Clamp nut and wrench for depressed center wheel. No wheel furnished. **EN72 can be furnished with same equipment as EN71 in place of standard equipment if specified. Optional: EN62—rubber tool guard in place of suspension hook, if specified; EN72—suspension hook in place of rubber tool guard, if specified.

*FOR TUCK POINTING-6" Grinder can be equipped with 8" guard and 8" cutoff type wheel, specify Code EN64, price \$112.00.

GRINDING WHEELS

STRAIGHT WHEELS (General Purpose Vitrified)

		-
Wheel Size	Cat. No.	Price
4"x 3/4"x 1/2" hole	72263	\$1.23
5"x 3/4"x 1/2" hole	72286	2.10
6"x 1" x %" hole	72333	2.25

CUP WHEELS

(General Purpose Bond)

	Threaded,	5/8"x11	
6"x 2"x 5%" hole STRAIGHT CUP		72458	\$7.45
6"x 2"x 5%" hole FLARED CUP		72467	7.45

WIRE BRUSHES

STRAIGHT WIRE BRUSHES

Standard Duty	Arbor Hole	Adaptor	Type
Brush Size	30 GA.	33 GA.	Price
4"x3/4"x1/2" hole	73061	73067	\$1.80
6"x1" x5/8" hole	73062	73068	2.30

CUP WIRE BRUSHES

General Purpose, 5/8"x11 Threaded Arbor Hole

Diameter	Wire Size	Cat. No.	Price
6 inches	.020	73079	\$5.00
6 inches	.012	73078	4.60



Silver Line

POLISHERS

Correct power, speed, gearing and weight distribution for effortless cleaning and polishing. Frictionless ball bearing and pin roller bearings, spiral bevel gears, extra sturdy construction throughout with RESERVE POWER for longer lasting service.

POLISHES



THOR "CAR FINISH"—Finest on market for long-lasting protection of new and old cars. Use only 21/2 ounces to beautify and protect average car!

I QUART "CAR No. 22654. Price	FINISH,"	Catalog \$4.50
I GALLON "CAR No. 22655. Price	FINISH,"	Catalog \$16.00

CAR CLEANERS

Removes road grime. Recommended for use with "Car Finish" to remove previous polishes, glazes and waxes.

No. I POLISH—for cars easy to clean. Cat. No. 22012. One Gallon. Price \$2.85 No. 2 POLISH—for cars hard to clean. Cat. No. 22013. One Gallon. Price \$3.50

CAR WAX

For finest luster, in one pound metal container. Cat. No. 22045. Price \$1.35



RUBBER BACKING PADS
Tapered back flexible pad (for use with or without felt pad), No.22483......Price, \$3.50



PNEUMATIC PAD
Catalog No. 66720......Price, S11.95



LAMBSWOOL BONNET Drawstring Type

Catalog No. 74329 (for use with combina- tion flexible pad and felt pad).
Price, each
Price each, quantities of six 1.98
Catalog No. 81738 (for use with flexible pad
only). Price, each
Price each, quantities of six 1.98
LAMBSWOOL PAD
Catalog No. 61112Price, \$2.00
Price Each, Quantity of Six \$1.50
FELT CUSHION PAD
Catalog No. 61111Price, \$1.25



	Duty	Duty
Code	EL92	EN92
Spindle Thread	5/8"x11	5/8"x11
Speed	1400 R.P.M.	1400 R.P.M.
Weight	9 lbs.	151/4 lbs.
Shipping Wt.	14 lbs.	20 lbs.
Length Overall		173/4"
PRICE	\$75.00	\$83.00

EQUIPPED with rubber backing pad; nut; rubber tool guard; drawstring polishing bonnet; removable side handle for use on either side of fool; momentary trigger switch and lock; seven feet of 3-conductor cable with 2-prong plug and ground connector.



VALVE REFACERS



WET TYPE REFACER

WITH FOUR-PURPOSE MICROMETER BUTT FIXTURE

Four-purpose Butt Fixture permits precision grinding (micrometer fed) of butt-ends of valve stems, tappets, rocker arms and also precision dresses butt grinding wheel.

EQUIPMENT

- 1 Cellet, 9/32" to 9/16" capacity (Optional, 1/2" to 11/16") 1 Offset Grinding Wheel, No. 73534 1 Cup Grinding Wheel, No. 73533 1 Micrometer Feed Butt Grinder Fixture
- Wheel dressing stand and dresser
 Extra dressing fixture for 90° flat valves
 Shaded lamp with swivel fixture
 1 pt. can concentrated Thor coolant
 Splash guard
 ft. 3-conductor cable with 2-prong plug and
- ground connector

SPECIFICATIONS

Base	16" x 24"
Weight	255 lbs.
Shipping Weight	290 lbs.
PRICE	\$359.50

\$35950 Model

Extra heavy construction, automatic bearing compensation at critical points of wear. Sliding heads feature smooth-riding three-point suspension on hardened and ground slide rods for extra long and accurate service. Double-Grip Collet is hardened, ground and internally lapped, gear driven by its own individual motor. New Speed Chuck permits even larger butt-end valves to be admitted and released with only one turn of the new 21/4" hand wheel.

EXTRA COLLETS

1/4"	to	7/14".	Catalog	No.	80469	\$14.00
9/32"	to	9/16"	Catalog Catalog Catalog	No.	74499	9.50
1/2"	to	11/16"	Catalog	No.	74500	11.90

STREAMLINED WET TYPE REFACER

EQUIPMENT

- 1 Collet, 9/32" to 9/16" capacity (Optional 1/2" to 11/16")
- 1 Offset grinding wheel, No. 73534
- 1 Wheel Dressing Stand and Dresser
- *1 Extra dressing fixture for 90° flat valves
- 1 Shaded lamp with swivel fixture
- 1 1 pt. can concentrated Thor coolant
- 1 Splash guard
- 7 ft. 3-conductor cable with 2-prong plug and ground connector

SPECIFICATIONS

Base	16" x 24"
Weight	245 lbs.
Shipping Weight	280 lbs.
PRICE	\$290.00

EXTRA EQUIPMENT



^{*}When specified.

^{*}When specified.

VALVE SHOPS



Series 100 Valve Shops include Model 100 Valve Refacer, fitted cabinet equipped with casters, No. SG Heavy Duty Valve Seat Grinder, No. 74241 Wheel Dresser, two wheel holders, No. 74666 Valve Refacer Cover and, where indicated, seat grinding wheels and pilots as listed at center of page.

	2 Roller Bearing Wheel Holders				
Equipment	8 Wheels 5 Pilots	No Whoels or Pilots			
Shop No. Price	222 \$558.00	202 \$535.00			
	2 Plain Bearing Wheel Holders				
Equipment	8 Wheels 5 Pilots	No Wheels or Pilots			
Shop No. Price	111 \$545.00	101 \$520.00			

WHEELS and PILOTS


furnished with Thor Valve Shops where indicated

1½" 45° Finishing Wheel, No. 74159
15%" 45° Finishing Wheel, No. 74160
1¾" 45° Finishing Wheel, No. 74161
1½" 45° Finishing Wheel, No. 74162
1½" 30° Finishing Wheel, No. 74163
1¾" 30° Finishing Wheel, No. 74164
15%" 45° Roughing Wheel, No. 74165
1¾" 45° Roughing Wheel, No. 74165
1¾" 45° Roughing Wheel, No. 74166
5/16" Expanding Pilot, No. 75734
11/32" Expanding Pilot, No. 75735
11/32" Plug Pilot (V8-85), No. 75745
(No. 80984 Pilot Wench Furnished with Abova)

SERIES 99 SHOPS

Series 99 Valve Shops include Model 99 Valve Refacer, fitted cabinet equipped with casters, No. SG Heavy Duty Valve Seat Grinder, No. 74241 Wheel Dresser, two wheel holders, No. 74666 Valve Refacer Cover and, where indicated, seat grinding wheels and pilots as listed at center of page.

	2 Roller Bearing Wheel Holders				
Equipment	8 Wheels 5 Pilots	No Wheels or Pilots			
Shop No. Price	9922 \$495.00	9902 \$470.00			
	2 Plain Bearing Wheel Holders				
Equipment	8 Wheels 5 Pilots	No Wheels or Pilots			
Shop No. Price	9911 \$480.00	9901 \$455.00			



VALVE SEAT GRINDERS

SEE VALVE SEAT KITS ON NEXT PAGE



1/2" straight hexagon spindle takes. Ther heavy duty wheel holders for driving up to 21/2" wheels, 55° angle head allows free access to back valve seats, makes for easier handling on V-type engines.

EQUIPPED with 7 ft. 3-conductor cable with 2-prong plug and ground connector.

Code No.	SG	SGY
Speed, R.P.M	12,000	10,000
Weight, Ibs.	51/4	51/4
Shipping Wt. lbs	8	8
Length Overall	101/8"	10 1/8"
Spindle Offset	1"	1"
PRICE	\$52.50	\$40.00



Splined spindle takes Thor extra heavy duty wheel holders for driving up to 4" wheels. (Adaptor with ½" straight hexagon drive for heavy duty wheel holders available at no extra charge when specified.)

EQUIPPED with 7 ft. 3-conductor cable with 2-prong plug and ground connector.

Code No.	SGH	SGHY
Speed, R.P.M.	8,000	10,000
Weight	6 lbs.	6 lbs.
Shipping Wt	81/4 lbs.	81/4 lbs.
Length Overall	121/2"	121/2"
Spindle Offset	1"	1"
PRICE	\$65.00	\$65.00



WHEEL HOLDERS FOR THOR VALVE SEAT GRINDERS



PLAIN BEARING, for use with Thor heavy duty drivers. Catalog No. 74145, price, \$3,95 each.



ROLLER BEARING, for use with Thor heavy duty drivers. Catalog No. 74146, price. \$10.85 each.



SHORT ROLLER BEARING, for all with Thor heavy duty drivers. Catalog No. 76351, price, \$10.00 each



SALL BEARING, for use with Thorestra heavy duty driver. Catalog No. 81078, price. \$17.50 each.



VALVE SEAT KITS

VALVE SEAT GRINDING **EQUIPMENT**



Ball Type PILOT WRENCH For 3/s" stem pilot No. 80984 \$4.50



Heavy Duty WHEEL DRESSER Up to 31/2" Wheel No. 74241 \$24.50




Extra Heavy Duty WHEEL DRESSER Up to 6" Wheel No. 75652 \$89.50



(For use with Electric Drills)
1/4" Shank
1/2" Str. Hexagon Drive
No. 76099 \$2.50



HEX BALL ADAPTOR No. 74244 \$2.05



Thor Valve Seat Kits include SG Heavy Duty Valve Seat Grinder, two Wheel Holders as indicated, No. 74241 Wheel Dresser, Wheels and Pilots where indicated and No. 74243 fitted Metal Box.

	(with SG	Heavy Duty Valve	s Seat Grinders)	
2	2 Roller Bearing	Wheel Holders	2 Plain Bearing	Wheel Holders
Equip- ment	8 Wheels No Wheel 5 Pilots or Pilots		8 Wheels 5 Pilots	No Wheels or Pilots
Kit No. Shipping Wt. Lbs. Price	22 39 \$135.00	2 35 \$108.00	11 39 \$118,50	35 \$93.50
	Wheels fur	nished with No. 2	22 and No. 11 Kits	
15/8" 45°	Finishing Wheel, No Finishing Wheel, No Finishing Wheel, No Finishing Wheel, No	o. 74160 13 o. 74161 15	/2" 30° Finishing Wh /4" 30° Finishing Wh /8" 45° Roughing Wl /4" 45° Roughing Wl	eel, No. 74164 neel, No. 74165
	Pilots fur	nished with No. 2	2 and No. 11 Kits	
11/32" Ex	panding Pilot, No. 79 panding Pilot, No. 79 panding Pilot, No. 79	5735 Pi	1/ ₃₂ " Plug Pilot (V8-85 lot Wrench, No. 8078), No. 75745 4

22HD HEAVY DUTY KIT - \$170.00

	ZZIID IIEMTI	Poll	The state of the s
1	SG Heavy Duty 55° Grinder	7	45° Hard Seat Wheels
	No. 74243 Metal Kit Box		11/2" No. 21234 21/8" No. 21254
	No. 74241 Wheel Dresser		15/8" No. 21238 21/4" No. 21258
2	No. 74145 Plain Bearing Wheel Holders		1¾" No. 21242 21/2" No. 21330
	No. 78392 5/16" Plug Pilots (Standard +.001, +.002, +.003)		1 1/8" No. 21246
3	No. 77654 11/32" Plug Pilots	7	45° Soft Seat Wheels
-	(Standard +.001, +.002, +.003)		11/2" No. 74168 21/8" No. 74197
3	No. 78225 3/8" Plug Pilots		15/8" No. 74165 21/4" No. 74205
0	(Standard +.001, +.002, +.003)		134" No. 74166 21/2" No. 74221
3	No. 78396 7/16" Plug Pilots		1 1/8" No. 74185
	(Standard +.001, +.002, +.003)	2	30° Soft Seat Wheels
1	No. 75745 1 1/32" Plug Pilot (V8-85)	4	
1	No. 80984 Pilot Wrench Net Wt. 40 Lbs.		1%" No. 74175 1%" No. 74180 Shipping Wt. 44 Lbs.

EXTRA HEAVY DUTY KIT - \$180.00

	NO. 3 EXIKA	TEAT				1/1		4.00.	
1	SGH Extra Heavy Duty Grinder			- 1	No.	75652		Heavy Du	
2	No. 81078 Ball Bearing Wheel Holders	o Wheels						Kit Box	
	Net Wt. 46 Lbs.	O Wileels	- UI	riidis		SI	hipping	Wt. 52	Lbs


SPECIAL KITS

Contents of the following Kits have been checked with the manufacturer for suitability in servicing the specified equipment. Additional equipment available to adapt these Kits to general use.

Number	Description	Price	Write for Bulletin Number
22KF	Kaiser-Frazer	\$121.00	E-828
IIE-STU	Studebaker	155.00	JE-1246
22E-STU	Studebaker	170.00	JE-1246
IIP-STU	Studebaker	197.00	JE-1246
22P-STU	Studebaker	212.00	JE-1246
22B&S	Briggs and Stratton Engines	151.70	7646
23JD	John Deere Tractors	210.00	7228
II-OL	Oliver Tractors	149.00	JE-1183
11-OL	All Make Cars, Trucks, Tractors	100000	8379

VALVE SHOP ACCESSORIES





ing Pilot

4

Size

9/32

11/32

% 25/64

15/32

Size

627

PILOT WRENCH

Catalog No. 80984 (for use with 3/4" stem pilots using 74145, 74146, 76351 and 76365 wheel holders).

EXPANDING PILOTS

HEAVY DUTY 3/8" Diameter Shank For use with Heavy Duty Wheel Holders Nos. 74145 and 74146

4/2 5%

EXTRA HEAVY DUTY 9/16" Diameter Shank For use with Extra Heavy Duty Wheel Holder No. 75654

Number

75734 83828 75735

76349

75736

75740 75741

*Short K-F Pilot for use with No. 76351 Wheel Holder

Number

For use with HEAVY DUTY Wheel Holders, 11/16" x 11 Thread, Nos. 74145, 74146 and 76351

		45°			30°			
Diam-	Price All	Rou	ghing	F1-1-1	Rou	ghing	Finish-	15° Narrow-
eter	Wheels	For Soft Seats	For Hard Seats	Finish- ing	For Soft Seats	For Hard Seats	ing	ing
11/8"	\$1.70	*21428	*22017	*21427			-vacanos-	
11/4"	1.70	*21430	*22018	*21429	*21432	*22023	*21431	*21433
1%"	1.70	*21435	*22019	*21434	*21437	*22024	*21436	*21438
136"	1.70	*21440	*22020	*21439	*21442	*22025	*21441	*21443
1750	1.70	*21445	*22021	*21444	*21447	*22026	*21446	*21448
11/2"	1.70	*21450	*22022	*21449	*21452	*22027	*21451	*21453
11/2"	1.70	74168	21234	74159	74169	21235	74163	74224
1-1	1.70	74171	21236	74170	74173	21237	74172	74225
156"	1.70	74165	21238	74160	74175	21239	74174	74225
111	1.70	74177	21240	74176	74179	21241	74178	74226
134"	1.70	74166	21242	74161	74180	21243	74164	74226
113"	1.70	74182	21244	74181	74184	21245	74183	74227
1%"	1.70	74185	21246	74162	74187	21247	74186	74227
11171	1.70	74189	21248	74188	74191	21249	74190	21302
20	1.70	74249	21250	74248	74251	21251	74250	21302
2/4"	2.10	74193	21252	74192	74195	21253	74194	21303
21/8"	2.10	74197	21254	74196	74199	21255	74198	21304
27011	2.10	74201	21256	74200	74203	21257	74202	21305
21/4"	2.10	74205	21258	74204	74207	21259	74206	21306
215	2.10	74209	21324	74208	74211	21325	74210	21307
23/6**	2.10	74213	21326	74212	74215	21327	74214	21308
2,7,11	2.10	74217	21328	74216	74219	21329	74218	21309
21/2"	2.10	74221	21330	74220	74223	21331	74222	21310
250	2.75	1000	21332			21333		To an extended
25/2**	2.75	75980	21334	75981	75982	21335	75983	21311
234"	2.75	75984	21336	75985	75986	21337	75987	21312
211"	2.75	75988	21338	75989		21339		21313
27/6"	2.75	75990	21340	75991	75992	21341	75993	21314
3"	2.75	75994	21342	75995	75996	21343	75997	21315
31/6"	3.50	75998	21344	75999	76000	21345	76001	21316
31/4"	3.50	76002	21346	76003	76004	21347	76005	21317

3.50 *1½" Length, all others ¾" Length NOTE: 15° Wheels for International Trucks:

74004

76010

3.50

PLUG PILOTS

Price

4.95 4.95 4.95

4.95 4.95 4.95 4.95 4.95 4.95 4.95 5.50

6.05

Price

\$6.05 6.90 6.90 7.15 8.45

2||| 2||| 3||₃ 3 7/32

31/8

HEAVY DUTY 1/4" Diameter Shank For use with Heavy Duty Wheel Holders Nos. 74145 and 74146

Furnished in standard sizes indicated and in oversizes plus .001, .002, .003 and .004.

		"A"	"B"	1
Size	Cat.	Overall	Shank	Price
1000	No.	Length	Length	
1/4"	76503	5¾"	4"	\$2.00
A."	78042	51/4"	25/2"	2.00
4"	78360	51/2"	21/8"	2.00
10"	78361	61/4"	21/6"	2.00
A.**	78638	51/6"	21/2"	2.00
11/32"	77654	61/2"	2%"	2.00
11/32"	78393	6"	2%"	2.00
11/32"	79008	61/2"	31/8"	2.00
.3452"	78227	6"	2%"	2.00
36"	77474	7**	3"	2.00
36"	78225	61/4"	234"	2.00
36"	78394	51/2"	21/2"	2.00
3/6"	78420	8"	3''	2.00
3/6"	78422	71/4"	234"	2.00
36"	78423	61/4"	21/4"	2.00
.3960**	78226	6"	21/2"	2.00
7511	78426	81/2"	3"	2.00
1/2"	78434	91/4"	3%"	2.25
2.11	78536	81/2"	31/2"	2.25
.592**	75742	51/2"	3"	4.00
.850"	75744	43/4"	3"	4.00
140	75745	434"	3"	4.00

For use with EXTRA HEAVY DUTY Wheel Holders, %" x 14 Thread, No. 75654

76007

76011

74008

76012

21349

21351

2½" 15° Roughing Wheel, Cat. No. 22035, Price \$2.10 2½" 15° Finishing Wheel, Cat. No. 22036, Price \$2.10

21348

21350

Diam- efer	Price	45*		30°			150	
		Roughing		FILL	Roughing		Fin-	Nar-
		For Soft Seats	For Hard Seats	Finish- ing	For Soft Seats	For Hard Seats	ish- ing	ing
2,5"	\$3.00	75557	22219	75556	75559	22220	75558	ENGALIST.
25/6"	3.00	75561	22221	75560	75563	22222	75562	22211
234"	3.00	75565	22223	75564	75567	22224	75566	22212
2%"	3.00	75569	22225	75568	75571	22226	75570	22213
311	3.00	75573	22227	75572	75575	22228	75574	22214
31/8"	3.25	75577	22229	75576	75579	22230	75578	22216
31/4"	3.25	75581	22231	75580	75583	22232	75582	22215
33/6"	3.25	75585	22233	75584	75587	22234	75586	22217
31/2"	3.50	75589	22235	75588	75591	22236	75590	22218
35%"	3.50	75593	22237	75592	75595	22238	75594	21401
3%"	3.50	75597	22239	75596	75599	22240	75598	21402
4	3.75	75601	- AND THE REAL PROPERTY OF THE PERTY OF THE	75600	75603		75602	21403
41/6"	4.25	75605		75604	75607		75606	21404
41/4"	4.25	75609		75608	75611		75610	21405
4%"	4.25	75613		75612	75615	3.1	75614	21406
41/2"	4.25	75617		75616	75619		75618	21407
434"	4.50	75621		75620	75623	100	75622	21408
5"	4.50	75625		75624	75627		75626	21409
51/8"	5.00	75629	24	75628	75631		75630	21410
51/4"	5.25	75633		75632	75635		75634	21411
5%"	5.25	75637		75636	75639		75638	21412
51/2"	5.50	75641		75640	75643		75642	21413
5%"	5.75	75645		75644	75647		75646	21414
6"	6.00	75649		75648	75651		75650	21415

Wheels under 21/2" diameter are vitrified; all 21/2" and over are resinoid bonded.

21318

76009

76013



VALVE SHOP ACCESSORIES

VALVE GUIDE CLEANERS REAMER TYPE

Size	Number	Price
9/32"	74228	\$1.10
5/16"	74229	1.10
11/32"	74230	1.10
3/6"	74231	1.10
13/32"	74232	1.10
7/16"	74233	1.10
15/32"	74234	1.45
1/2"	74235	1.45
9/14"	74236	1.45
.592***	74237	1.55
.830"**	74240	1.80
1 1/32"†	74239	1.85

BRUSH TYPE

*Ford A&B

†¥8-85

Size	Number	Price
5/16"	73081	\$0.74
11/32"	73082	.74
3/6"	73083	.74
13/32"	73084	.74
7/16"	73085	.74
1/2"	73086	.74
9/16"	73087	.74
5/8"	73088	.74
19/32"	73089	.74
11/32"*	73090	.74



DIAL INDICATOR GAUGES

HEAVY DUTY-Mounts on Thor Heavy Duty Pilots, Adjustable for seats from 11/8" to 31/2". Dial graduated in .001". Cat. No. 82457, price... EXTRA HEAVY BUTY-Mounts on Thor Extra Heavy Duty Pilots.

Adjustable for seats from 29/16" to 6". Dial graduated in .001". Cat. No. 75653, price.....

WHEEL DRESSING NIBS

For 99 or 100 Valve Refacer. Cat. No. 74448, price	\$5.00
For No. 74241 Valve Seat Wheel Dresser. Cat. No. 74327, price	\$5.00
For No. 75652 Valve Seat Wheel Dresser. Cat. No. 75667, price	\$6.50

VALVE REFACER CABINET

As illustrated on page 32, heavy gauge steel construction with masonite table surface, swivel casters. 36" long x 20" wide x 33" high. No. 74328. Price \$67.75

THOR COOLANT

THOR COOLANT is a concentrated soluble oil. Dilute with 50 parts of water to one of oil. Special formula keeps grinding wheels free cutting.

No. 20316,	I Pint Can (makes 6 ga	llons).
Price		\$0.75
No. 20317,	I Gallon Can (makes 5	0 gallons).
Data -		\$4.95

VALVE REFACER COVER

Made of sturdy pyroxolin material, waterproof, cut to cover entire Model 99 or 100 unit. Cat. No. 74666, price..... \$5.50

VALVE REFACER GRINDING WHEELS

Application	Description Size		Cat. No.	Price
Valve Refacing	Gen'l Purpose Offset	4"x 1" x 5/8" hole	73534	\$2.70
Butt Grinding	Gen'l Purpose Cup	4"x 1" x 5/8" hole	73533	2.40
Stellite Valve Refacing	Offset Wheel	4"x 1" x 5/8" hole	73535	2.45
90° Valve Refacing	Double Recessed Wheel	4"x 3/4"x 5/8" hole	74247	2.25



CARBON CLEANING BRUSHES

1/4" Shanks chuck into Electric Drill for use in removing carbon deposits on cylinders, valve seats and combustion chambers. Also excellent for removing burrs, paint, rust, etc.



" Diameter Straight Wire .028 Wire Size



Spec. Analysis Crimped Wire .020 Wire Size



11/4" Diameter Crimped Music Wire .020 Wire Size " Diameter

No. 72642



" Diameter Crimped Music Wire .018 Wire Size



No. 72644

IV₂" Diameter Crimped Music Wire .018 Wire Size




3" Diameter Flared Music Wire 020 Wire Size





11/8" Diameter Spec. Analysis Spiral Twist .020 Wire Size

BODY and FENDER AIR HAMMER









COMPLETE KIT

includes Thor Air Hammer, five yokes, four dollies, two dolly pins, one ripping chisel, one goo scraping chisel, one chisel adaptor and 25 feet of air hose and fittings. Complete equipment for reconditioning all turret tops, hoods. bodies, doors and fenders.

Shipping Weight, 73 lbs.

\$148.50

UTILITY KIT

includes Thor Air Hammer, three yokes (Nos. 77285, 77286, 77287), three dollies, two dolly pins and 25 feet of air hose and fittings. Handles most body shop jobs. Shipping Weight, 48 lbs.


\$110.00


AUXILIARY KIT

converts Utility Kit into Complete Kit. Includes two yokes (Nos. 77288, 77289), one dolly, one ripping chisel, one goo scraping chisel and one chisel adaptor.


Shipping Weight, 25 lbs.

\$44.00





Yoke No. 77288



77289



EASY TO OPERATE

BALL SWIVEL ACTION on both upper and lower dollies. Always aligns perfectly. Even inexperienced operators do perfect work first time.

PUSH BUTTON "ON-OFF" air control, Works like an electric switch. Leaves both hands free to manipulate hammer and work,

INDEPENDENT NEEDLE VALVE, with knurled nut control, regulates speed and power of the hammer from dead stop to full power.

SENSITIVE RATCHET CONTROL guides hammer to exact clamping position.

POSITIVE RATCHET LOCK, set or released by flip of the finger, holds hammer firmly locked in position.

RIGID YOKE LOCKING device permits quick changes of yokes, prevents wear and loose-fitting yokes.



MULTIMATIC

AIR TOOL KIT

Eight Complete Tools in One Compact Kit











4" HEAVY DUTY WIRE BRUSH Cat, No. G-6A.....\$65.00



7" DISC SANDER POLISHER
Cat. No. G-7A......577.00






Equipped complete as illustrated with one air motor unit, handles, head units and accessories assembling either a 1/4" drill (button throttle or pistol grip), 1/2" right angle drill, right angle hole saw, 4" heavy duty grinder, 4" heavy duty wire brush, 7" disc sander, or 7" polisher. (Tools also available individually as illustrated at left).

Kit Complete Code G-9A \$156.00
Shipping Weight 29 lbs.







FACTORY BRANCH REPAIR SERVICE

For Thor tool users and distributors, Thor operates completely equipped factory branches in principal cities . . . manned by factory trained tool engineers . . . well stocked with genuine Thor parts, to give you immediate repair service on all Thor power tools. These factory branches bring faster repair service—plus the added advantages of repair economy and new tool satisfaction . . . every tool repaired carries the same guarantee as a new tool! LET THE MEN WHO BUILT YOUR THOR TOOL SERVICE IT! Be sure worn parts are replaced with genuine Thor parts!

CATALOG SHEETS, MANUALS, PARTS LISTS

For the conscientious tool buyer who desires additional information not shown in the catalog, or who wishes to replace lost instruction manuals or parts lists, extra catalog sheets, manuals and parts lists are available at all Thor branches.

GUARANTEE

All THOR Tools and Parts are guaranteed against any defect in material or workmanship. THOR will replace parts which, upon examination at THOR factory service branch (or factory), indicate that they are defective. The complete Tool or Part must be returned to a THOR factory branch (or THOR factory) transportation charges prepaid. No replacement will be made if repairs to the Tool or Part have been attempted by anyone excepting the above service stations.

THOR POWER TOOL COMPANY

FACTORIES: AURORA, ILL. LOS ANGELES, CALIF. NEWCASTLE-ON-TYNE, ENGLAND

EXPORT DIVISION

330 W. 42nd St., New York 36, N. Y.—Cable Address THORTOOLS LONDON, ENGLAND TORONTO, CANADA JOHANNESBURG, SO. AFRICA HERRAMIENTAS THOR DE MEXICO, S.A. DE C.V. MEXICO, D.F., MEXICO

"THOR TOOL HEMISPHERE, INC." São Paulo, Brazil "THOR TOOL CONTINENTAL, INC."
Antwerp, Belgium

FACTORY BRANCHES

BIRMINGHAM 4, ALA. 1411—3rd Ave., N.

BOSTON 15, MASS. 78 Brookline Ave.

BUFFALO 23, N. Y. 735 Military Road

CHICAGO 7, ILL, 1405 W, Washington Blvd,

CINCINNATI 12, 0, 3726-28 Floral Ave.

CLEVELAND 3, 0. E, 40th & Payne Ave.

DENVER 4, COLO. 1040 Speer Blvd.

DETROIT 3, MICH, 15605 Woodrow Wilson

HOUSTON 11, TEXAS 7241 Harrisburg Blvd. (P. O. Box 9384)

LOS ANGELES 22, CAL. 6200 E, Slauson Ave.

MILWAUKEE 3, WIS. 1816 W. State St.

NEWARK 7, NEW JERSEY 1 Tichenor Lane Corner of Parkhurst St.

> NEW YORK Long Island City 32-34 Greenpoint Ave.

PHILADELPHIA 30, PA. 1701 Fairmount Ave.

PITTSBURGH 21, PA. 204 Thomas St.

ST. LOUIS 8, MO. 4044 Forest Park Blvd.

ST, PAUL 2, MINN, 220 W, 7th St,

SALT LAKE CITY 1, UTAH 146 W. South Second St.

SAN FRANCISCO 3, CAL. 315 S. Van Ness Ave.

> SEATTLE 22, WASH. 611 E. Pike St.

TORONTO, ONT., CAN.
-1909 Davenport Rd.

